



000135A



# Induction Cooker Commercial Kitchenware



Desktop flat induction cooker  
(dimension): 550\*500\*400mm  
(model number): E-FIC-55  
(voltage): 220V  
(power):5KW  
(rated frequency): 50Hz



Desktop electromagnetic pasta cooker  
(dimension): 400\*400\*450mm  
(model number): E-PC-40  
(voltage): 220V  
(power):5KW  
(rated frequency): 50Hz



Desktop induction cooker  
(dimension): 550\*500\*400mm  
(model number): E-IC-55  
(voltage): 220V  
(power):5KW  
(rated frequency): 50Hz



Desktop double-head induction cooker  
(dimension): 1000\*500\*400mm  
(model number): E-DIC-100  
(voltage): 220V  
(power):5KW\*2  
(rated frequency): 50Hz

# Induction Cooker Commercial Kitchenware



**Electromagnetic luxury combination stove**  
(dimension):2500\*1000\*800mm  
(model number): E-LCS-250  
(diameter) : 400mm  
(voltage):380V/ 220V  
(power):20-30KW  
(rated frequency): 50Hz



**Single-wok and single-boiler induction cooker**  
(dimension):1100\*1000\*800mm  
(model number): E-SSICS-110  
(voltage):380V/  
(power):12KW OR 15KW  
(rated frequency): 50Hz



**Double-wok and double-boiler induction cooker**  
(dimension):2000\*1000\*800mm  
(model number): E-DDIC-200  
(diameter) : 400mm  
(voltage):380V  
(power):12\*2KW  
(rated frequency): 50Hz

# Induction Cooker Commercial Kitchenware



Electromagnetic stove  
(dimension): 1100\*1200\*800mm  
1150\*1300\*400mm  
1200\*1400\*400mm  
(model number): E-BS-110 /  
E-BS-115/E-BS-120  
(diameter): 800/900/1000mm  
(voltage): 380V  
(power): 20/25/30KW  
(rated frequency): 50Hz



Induction cooker (specially used on ships and vessels)  
(dimension): 1200\*800\*800mm  
(model number): E-BIC-120  
(voltage): 380V  
(power): 20KW



Electromagnetic stove (specially used on ships and vessels)  
(dimension): 1100\*1200\*800mm  
(model number): E-BSS-110  
(voltage): 380V  
(power): 8-30KW  
(rated frequency): 50Hz



Multi-functional electromagnetic pot  
(dimension): 680\*780\*1150mm  
(model number): E-MP-68  
(voltage): 380V  
(power): 12KW  
(rated frequency): 50Hz

# Induction Cooker Commercial Kitchenware



( Electromagnetic double-head stove )  
(dimension): 1500\*880\*600+600mm  
(model number): E-DS-150  
(voltage): 380V  
(power): 12KW\*2  
(rated frequency): 50Hz



(Electromagnetic four-head burner)  
(dimension): 750\*850\*800mm  
(model number): E-FB-75  
(voltage): 380V  
(power): 2/3KW\*4  
(rated frequency): 50Hz



( Electromagnetic single-head stove )  
(dimension): 600\*800\*850+860mm  
(model number): E-SSH-80  
(voltage): 380V  
(power): 12KW  
(rated frequency): 50Hz



( Electromagnetic single-head stove )  
(dimension): 780\*880\*600+000mm  
(model number): E-SSL-78  
(voltage): 380V  
(power): 12KW  
(rated frequency): 50Hz

# Induction Cooker Commercial Kitchenware



(Electromagnetic tilting pot)  
(dimension): 1650\*1100\*1000mm  
(model number): E-TP\_165  
(volume): 150/200y300L  
(voltage): 380V  
(power): 20/25KW  
(rated frequency): 50H



(European style induction cooker with cabinet)  
(dimension): 900\*800\*800+150mm  
(model number): E-EIN-90  
(power): 8/12KW  
(rated frequency): 50Hz



European style electromagnetic four-head burner with cabinet  
(dimension): 900\*800\*800+150mm  
(model number): E-EFB-90  
(power): 2.5/3KW\*4  
(rated frequency): 50Hz



Electromagnetic nine-head pasta cooker  
(dimension): 700\*780\*800+150mm  
(model number): E-NPC-70  
(voltage): 220V  
(power): 5-12KW  
(rated frequency): 50Hz

# Induction Cooker Commercial Kitchenware



( Electromagnetic frying pan )  
(dimension):700\*780\*800+150mm  
(model number): E-FP-70  
(power): 5-12KW  
(rated frequency): 50Hz



( Electromagnetic four-head bun-steer stove )  
(dimension): 700\*780\*800+150mm  
(model number): E-FBS-70  
(power): 5-15KW  
(rated frequency): 50Hz



Electromagnetic nine-head pasta cooker  
(dimension): 700\*780\*800+150mm  
(model number): E-NPC-70  
(voltage): 220V  
(power): 5-12KW  
(rated frequency): 50Hz



(Electromagnetic seafood steam cabinet)  
(dimension): 1000\*790\*1850mm  
(model number): E-SSC-100  
(voltage): 380V  
(power): 25,30KW  
(rated frequency): 50Hz

# Induction Cooker Commercial Kitchenware



(Electromagnetic double-door  
steamer ]

(dimension): 1200\*900\*1900mm

(model number): E-DS120

(voltage): 380V

(power): 25,30KW

(rated frequency): 50Hz



# Directory

## 1 one



Semi-automatic slicing machine	01
Asian rice slicing machine	02
Fresh meat slicer	03
Food shredder	04
Cover type food cutter	05
Dome sawing machine	06
Meat mincing machine	07
Chopping and mixing machine	08
Green filling machine	10
Vegetable cutting machine	11

## 2 two



Egg boiler	13
Blender	14
Toast slicer	15
Pizza dough press	16
Pizza oven	16
Deep frying oven	17
Paste furnace	19
Toast oven	21
Griddle	23
Hot dog machine	24

## 3 three



Hamburger machine	25
Roast meat knife	26
Tower installation machine	25
Smoothie machine	27
Juicing machine	29
Potato chip machine	

## 4 four



Water filling dispenser	31
Electric deep oven	32
Fruit juice tripod	32
Insulated soup pot	33
Buffet stove	35
Food pit	38



### Economical meat slicer

- Made by die-casting aluminum alloy and base painted.
- Plastic legs and handle.
- Butcher series size 9" 10" 12" manual gravity feed.



Model No.	Thickness	Width	N.W/G.W	Blade dia	Power(w)	Packing Size(WxDxH),mm
SY-220A	0.2-15mm	160mm	14.4kg/16.6kg	220mm	230v/50Hz/125w-110v/60Hz/125w	575*465*415(mm)
SY-250A	0.2-15mm	180mm	15.5kg/17.5kg	250mm	230v/50Hz/150w-110v/60Hz/150w	575*465*415(mm)
SY-300A	0.2-16mm	220mm	22.5kg/25.5kg	300mm	230v/50Hz/250w-110v/60Hz/250w	615*525*510(mm)

### Standard meat slicer

- Made by aluminum-magnesium alloy with base polished and anodized.
- Plastic legs and handle.
- Butcher series size 9" 10" 12" manual gravity feed.



Model No.	Thickness	Width	N.W/G.W	Blade dia	Power(w)	Packing Size(WxDxH),mm
SY-220S	0.2-15mm	160mm	14.4kg/16.6kg	220mm	230v/50Hz/125w-110v/60Hz/125w	575*465*415(mm)
SY-250S	0.2-15mm	180mm	15.5kg/17.5kg	250mm	230v/50Hz/150w-110v/60Hz/150w	575*465*415(mm)
SY-300S	0.2-16mm	220mm	22.5kg/25.5kg	300mm	230v/50Hz/250w-110v/60Hz/250w	615*525*510(mm)

### Deluxe meat slicer

- Made by aluminum-magnesium alloy with base polished and anodized.
- Aluminum legs and handle.
- Butcher series size 9" 10" 12" manual gravity feed.



Model No.	Thickness	Width	N.W/G.W	Blade dia	Power(w)	Packing Size(WxDxH),mm
SY-220L	0.2-16mm	180mm	16.5kg/18.5kg	220mm	230v/50Hz/120w-110v/60Hz/120w	575*465*415(mm)
SY-250L	0.2-18mm	180mm	17.5kg/19.5kg	250mm	230v/50Hz/150w-110v/60Hz/150w	575*465*415(mm)
SY-300L	0.2-20mm	220mm	23.5kg/26.5kg	300mm	230v/50Hz/250w-110v/60Hz/250w	615*525*510(mm)

## Automatic type of meat slicer

- Made by aluminum-magnesium alloy with base polished and anodined.
- Aluminum footing and handle.
- Two motors ,one for blade,one for repeat.



Model No .	Thickness	Width	N.W/G.W	Blade dia	Power(w)	Packing Size(WxDxH),mm
SY-300AUTO	1-10mm	180mm	50kg/63kg	300mm	230v/50Hz/180w+370w	550*750*630(mm)

110v/60Hz/180W+370W

## Automatic type of meat slicer

- Made by aluminum-magnesium alloy with base polished and anodined.
- Aluminum legs and handle.
- Two motors ,one for blade,one for repeat.



Model No	Thickness	Width	N.W/G.W	Blade dia	Power(w)	Packing Size(WxDxH),mm
SY-320AUTO	1-10mm	220mm	82kg/103kg	320mm	230v/50Hz/370w+1500w	830*680*750(mm)

110v/60Hz/370W+1500W

## Automatic type of meat slicer

- Made by aluminum-magnesium alloy with base polished and anodined.
- Aluminum legs and handle.
- Two motors ,one for blade,one for repeat.



Model No	Thickness	Width	N.W/G.W	Blade dia	Power(w)	Packing Size(WxDxH),mm
SY-350AUTO	1-10mm	240mm	82kg/103mm	353mm	230v/50Hz/370+1500w	1150*830*1550(mm)

110v/60Hz/370W+1500W

## Fresh meat slicer

- full stainless steel.

- with emergency switch and safety key.
- one time put in piece,two time put in strip,three time in cube.



Model No	External Size(WxDxH),mm	Rotation rate	Ice-making capacity	Power(w)	Capacity	Steels	G.W(kg)
SYT_90	390*500*730(mm)	190r/min	220v/50Hz	800w	250kg/h	2.5/3.5mm	43kg

# cutting machine

## Food cutter machine

- ◆ Made by high quality stainless steel.
- ◆ Safety protection.
- ◆ Designed for food such as vegetable meat bread etc.



Model No.	Volume	N.W/G.W
SYC-6	6L 3.0kg	15.0kg/1
SYC-9	9L 4.0kg	17.0kg/2
SYC-15	15L 6.5kg	24.5kg/2

Power(w)

230v/50Hz/1200w-1 10v/60Hz/1200w  
230v/50Hz/1800w~110v/60Hz/1800w  
230v/50Hz/1800w-1 10v/60Hz/1800w

Packing Size(WxDxH) mm

450\*300\*480(mm)  
510\*370\*480(mm)  
560\*400\*480(mm)

## Hoodtype food cutter

- ◆ Made by high quality stainless steel.
- ◆ Safety protection.
- ◆ Designed for food such as vegetable meat bread etc..



Model No	Volume	N.W/G.W	Power(w)	Packing Size(WxDxH) mm
SYQ-6	6L	23.0kg/25.0kg	230v/50Hz/750w-1 10v/60Hz/750w	320*310*355(mm)
SYQ-12	12L	31.0kg/35.0kg	230v/50Hz/1100w~110v/60Hz/1100w	370*355*630(mm)
SYQ-17	17L	38.0kg/43.0kg	230v/50Hz/1500w-1 10v/60Hz/1500w	380*400*735(mm)
SYQ-21	21L	56.0kg/65.0kg	230v/50Hz/2200w-1 10v/60Hz/2200w	420*415*820(mm)

## Economical bone saw

- ◆ Aluminum painted body.
- ◆ Aluminum motor, aluminum 210mm wheel.
- ◆ Simple covered motor by stainless steel.



Model No	Packing Size(WxDxH),mm	Blade length	Working table,mm	Ice-making capacity	Power(w)	NW/GW(kg)
1650AE	540*520*990(mm)	1650(mm)	430*465(mm)	230v/50Hz/110/60Hz	1100W	36kg/45.5kg

## Standard bone saw

- ◆ Aluminum painted body.
- ◆ Copper motor, stainless steel 210mm wheel.
- ◆ Covered motor by stainless steel.



Model No	Packing Size(WxDxH),mm	Blade length	Working table,mm	Ice-making capacity	Power(w)	NW/GW(kg)
1650AP	540*520*990(mm)	1650(mm)	430*465(mm)	230v/50Hz/110/60Hz	750W	36kg/45.5kg

## Deluxe bone saw

- ◆ Stainless steel body.
- ◆ Copper motor, stainless steel 210mm wheel.
- ◆ Covered motor by stainless steel.




Model No	Packing Size(WxDxH),mm	Blade length	Working table,mm	Ice-making capacity	Power(w)	NW/GW(kg)
SYB-1600	540*520*990(mm)	1650(mm)	430*465(mm)	230v/50Hz/110/60Hz	750W	36kg/45.5kg



### Economic meat mincer

- ◆ Cast iron head plate, stainless steel knife\*stainless steel body.
- ◆ Aluminum motor.
- ◆ Additional free knife and 8mm plate.



Model No	Packing Size(WxDxH),mm	Ice-making capacity	Power	Capacity	Speed	GW/NW(kg)
SY-22A	430*290*400(mm)	220v/50Hz/110v/60Hz	1100w	150kg/h	170s/m	23.5kg/25.5kg
SY-08A	310*200*290(mm)	220v/50Hz/110v/60Hz	450w	60kg/h	170s/m	10.5kg/11.5kg
SY-12A	370*220*445(mm)	220v/50Hz/110v/60Hz	850w	120kg/h	170s/m	18.5kg/19.5kg

### Luxury meat mincer

- ◆ T stands for turbo motor, pure copper motor.
- ◆ G stands for gear motor, pure copper motor.



■ Turbine model

■ Gear type

Model No	Packing Size(WxDxH),mm	Ice-making capacity	Power	Capacity	Speed	GW/NW(kg)
22T	490*370*460(mm)	220v/50Hz/110v/60Hz	1100w	150kg/h	170s/m	10.5kg/11kg
32T	560*410*500(mm)	220v/50Hz/110v/60Hz	2200w	300kg/h	170s/m	44kg/50kg
22G	490*340*330(mm)	220v/50Hz/110v/60Hz	1100w	250kg/h	170s/m	27.5kg/30kg
32G	560*410*500(mm)	220v/50Hz/110v/60Hz	2200w	350kg/h	170s/m	49kg/55kg

### Aluminum polished meat mincer

- ◆ Aluminum polished body.
- ◆ Stainless steel head.
- ◆ Max -10 degree meat.



Model No	Packing Size(WxDxH),mm	Ice-making capacity	Power	Capacity	Speed	GW/NW(kg)
12L	560*290*320(mm)	220v/50Hz/110v/60Hz	1100w	150kg/h	220s/m	26kg/29kg
22L	560*290*320(mm)	220v/50Hz/110v/60Hz	1500w	150kg/h	220s/m	26kg/29kg
32L	560*290*320(mm)	220v/50Hz/110v/60Hz	1800w	330kg/h	220s/m	26kg/29kg



## Aluminum cutting mixer machine

- ◆ Aluminum polished base.
- ◆ Stainless steel 304 food pan.
- ◆ Easy take off to clean.



Model No. 型号	Packing Size(WxDxH),mm	Ice-making capacity	Power	Capacity	Speed	GW/NW(kg)
SYC-400	690*510*450(mm)	220v/50Hz/110v/60Hz	400w	160kg/h	20s/min	36kg/65kg

## Electric sausage filler


- ◆ Full stainless steel .easy to clean.
- ◆ Speed can be adjusted.
- ◆ CE Approved.



Model no.	Packing Size(WxDxH)mm	Ice-making capacity	Speed of motor	P0 WE R	Volume	Up Speed	Down Speed	Weight(kg)
-10 SYEV	637*370*330(mm)	220v/50Hz/110v/60Hz	1350(r/mm)	600	10L	7mm/s	0-7mm/s	27.5kg
-12 SYEV	687*370*330(mm)	220v/50Hz/110v/60Hz	1350(r/mm)	600	12L	7mm/s	0-7mm/s	29 kg
-15 SYEV	767*370*330(mm)	220v/50Hz/110v/60Hz	1350(r7mm)	600	15L	7mm/s	0-7mm/s	30kg

## Stainless steel cutting mixer machine

- ◆ Full stainless.
- ◆ With emergently switch and cover safety key.



Model No.	External Size(WxDxH),mm	Ice-making capacity	Power	G.W(kg)	N.W(kg)
SYC-350	500*420*530(mm)	220v/50Hz	370w	40kg	50kg

## Manual sausage filler

- ◆ Full stainless steel.
- ◆ Gear system, two level speed.
- ◆ Four specification of making sausage size.



Model No	Packing Size(WxDxH),mm	Cylinder dia.xl(mm)	Capacity(L/LB)	NW/GW(kg)
SYV-3	300*340*570(mm)	4) i40*210(mm)	3/7(L/LB)	1kg/13kg
SYV-5	300*340*690(mm)	(j) 140*320(mm)	5/11(L/LB)	12kg/14kg
SYV-7	300*340*830(mm)	(j) 140*460(mm)	7/15(L/LB)	13kg/15kg



# Vegetable cutter series



7 mm fillet cutter  
You can cut eggplant/pumpkin/radish/carrot/potato



4 mm fillet cutter  
You can cut eggplant/pumpkin/radish/carrot/potato




3 mm fillet cutter  
You can cut eggplant/pumpkin/radish/carrot/potato



4 mm slice cutter head  
You can cut cucumbers/cabbage/carrots/apples/ potatoes/oranges



2 mm slice cutter head  
You can cut cucumbers/cabbage/carrots/apples/ potatoes/oranges



## Vegetable cutter

- ◆ Stainless steel base, aluminum feed mouth.
- ◆ Two feed mouth, one big, one small.
- ◆ free five blade.



Model No	Packing Size(WxDxH),mm	Ice-making capacity	Power	Capacity	GW(kg)
SYC-300	655*256*485(mm)	110v/220v/230v-60Hz/50Hz	550w	60-120kg/h	29kg

# Egg beater

## Egg beater

- Touch screen
- Six speed adjust very easy
- Safety switch, open cover machine stop



Model No	Packing Size(WxDxH),mm	Ice-making capacity	Power	Volume	Speed	GW/NW(kg)
SY-7L	360*330*260(mm)	220v/50Hz/110v/60Hz	400w	7L	6 block speed	12.5kg/15kg

## Cream mixer

- Full stainless steel, easy to clean.
- Speed can be adjusted.
- CE Approved.



Model No	Packing Size(WxDxH),mm	Ice-making capacity	Power	Volume	Blending quantity	Weight(kg)
SYM-5L	637*370*330(mm)	220v/50Hz/110v/60Hz	300w	5L	0.5kg	9kg
SYM-7L	400*240*390(mm)	220v/50Hz/110v/60Hz	350w	7L	0.6kg	20kg

## Multi-functional food mixer

- With ce approved.
- Emergency switch and safety key once open cover.
- Gear-driven transmission.



Model No.	Packing Size(WxDxH),mm	Ice-making capacity	Power	Volume	Revspeed(r/min)	NW/GW(kg)
SYM-10	480*390*620(mm)	220v/50Hz/110v/60Hz	500w	10L	404/225/125	90kg/75kg
SYM-20	530*430*770(mm)	220v/50Hz/110v/60Hz	750w	20L	404/225/125	94kg/79kg
SYM-30	590*520*810(mm)	220v/50Hz/110v/60Hz	1100w	30L	404/225/125	130kg/98kg
SYM-40	720*570*1010(mm)	220v/50Hz/110v/60Hz	1500w	40L	404/225/125	195kg/170kg

## Economic food mixer

- With ce approved.
- No cover, no safety switch.
- Gear-driven transmission.



Model No	Packing Size(WxDxH),mm	Ice-making capacity	Power	Volume	Rev speed(r/min)	NW/GW(kg)
SY-B10	480*390*620(mm)	220v/50Hz/110v/60Hz	500w	10L	404/225/125	90kg/75kg
SY-B20	530*430*770(mm)	220v/50Hz/110v/60Hz	750w	20L	404/225/125	94kg/79kg
SY-B30	590*520*810(mm)	220v/50Hz/110v/60Hz	1100W	30L	404/225/125	130kg/98kg
SY-B40	720*570*1010(mm)	220v/50Hz/110v/60Hz	1500w	40L	404/225/125	195kg/170kg

## Stainless steel bread (toast) slicer

- Made of stainless steel meet stripper plate, limit branch line, limit board, clean and health.
- ◆ Imported slicesharp and durable .section smooth, fast slicing speed, high efficiency.
- ◆ Thickness could be customized according to customers\* demand.



J Model No	External Size(WxDxH),mm	Ice-making capacity	Maximum number of slices	Ice Storage(kg)	Power(w)	weight(kg)
SY-S31	760*560*780(mm)	220v/380v	31	12	370w	78kg

## Pizza dough roller

- ◆ Upgrade belt, without joint point durable.
- ◆ Copper wire motor/the device has current safety enough.
- ◆ Stainless steel shell, clean and hygienic.



J Model No 型号	External Size(WxDxH),mm	Max. size( inch)	Ice-making capacity	Thickness(mm)	Weight(kg)
SY-1V	530*530*645(mm)	3-15(寸)	220v/370w	1-5.5(mm)	40kg
SY-2V	480*520*620(mm)	3-15(4)	220v/370w	1-5.5(mm)	37kg

## Electric conveyor pizza oven

- ◆ Full stainless steel ,easy to clean.
- ◆ Speed can be adjusted.
- ◆ CE Approved.



J Model No	External Size(WxDxH),mm	Ice-making capacity	Power	Chain size(mm)	Weight(kg)
SYP-12	1100*620*370(mm)	220-240v/50Hz	6700w	380*1 000(mm)	45kg
SYP-18	1570*800*380(mm)	3N-380v/50Hz	103000W	530*1470(mm)	65kg
SYP-32	2020*1080*450(mm)	3N-380v/50Hz	25500w	880*1800(mm)	85 kg

## Electric pizza oven

- ◆ Fastest heating and even temperature.
- ◆ Top and bottom heating elements control individually.
- ◆ Max temperature:400°C.



J Model No	External Size(WxDxH),mm	Inner size(mm)	Ice-making capacity	Power	N/W(kg)
FEP-1-4(1-deck)	910*790*430(mm)	600*600*150(mm)	220v/50Hz	4800w	60kg
FEP-1-6(1-deck)	910*1080*430(mm)	600*900*150(mm)	380v/50Hz	6700w	75kg
FEP-2-4(2-deck)	910*790*430(mm)	600*600*150(mm)	220v/50Hz	9600w	120kg
FEP-2-6(2-deck)	910*1080*430(mm)	600*900*150(mm)	380v/50Hz	13400w	150kg

## Gas deck pizza oven

- ◆ Fastest heating and even temperature.
- ◆ Top and bottom heating elements control individually.
- ◆ Max temperature:400°C.



Model No	Size(WxDxH),mm	Power(w)	Heat flux(k/h)	Gas type	Gas type	Volts	Inner size(mm)	N/W(kg)	Layer 1
FGP-1-4(1-deck)	910*880*430(mm)	1000w	6(k/h)	LPG	2800pa	220v/50Hz	600*600*150(mm)	75kg	1
FGP-1-6(1-deck)	910*1120*430(mm)	1000w	9(k/h)	LPG	2800pa	220v/50Hz	600*900*150(mm)	88kg	1
FGP-2-4(2-deck)	910*880*430(mm)	1000w	12(k/h)	LPG	2800pa	220v/50Hz	600*600*150(mm)	75kg	2
FGP-2-6(2-deck)	910*1120*430(mm)	1000w	18(k/h)	LPG	2800pa	220v/50Hz	600*900*150(mm)	88kg	2

# Deep Fryer



## DEEP FRYER

Multiple of stainless steel, stylish appearance, suitable for household and commercial use. Integrated molding, strong and durable.

Model No	External Size(WxDxH),mm	Packing Size(WxDxH),mm	Ice-making capacity	Power	GW/NW(kg)
SY6	260*415*285(mm)	470*320*330(mm)	220v+240v	250w	6.0kg/7.0kg
SY6+6	545*415*285(mm)	470*320*330(mm)	220v+240v	250w+250w	9.2kg/10.5kg
SY8	260*415*335(mm)	470*320*380(mm)	220v+240v	325w	5.0kg/6.0kg
SY8+8	545*415*335(mm)	470*320*380(mm)	220v+240v	325w+325w	9.5kg/10.5kg
SY11+11	325*435*335(mm)	500*400*370(mm)	220v+240v	350w	6.5kg/7.5kg
	870*435*335(mm)	740*500*370(mm)	220v+240v	350w+350w	12.0kg/14.0kg

## Economic deep fryer

- Made of stainless steel, stylish appearance, suitable for household and commercial use.
- Integrated molding, strong and durable.



Model No	External Size(WxDxH),mm	Packing Size(WxDxH),mm	Ice-making capacity	Power	GW/NW(kg)
SY8E	285*440*305(mm)	480*300*320(mm)	220v-240v	250w	5.0kg/6.0kg
SY8+8E	565*440*305(mm)	580*480*320(mm)	220v-240v	250w+250w	9.0kg/10.0kg

## Deep fryer with tap

- Made of stainless steel, stylish appearance, suitable for household and commercial use.
- Integrated molding, strong and durable.



Model No	External Size(WxDxH),mm	Packing Size(WxDxH),mm	Ice-making capacity	Power	GW/NW(kg)
SY10	290*520*310(mm)	570*310*340(mm)	220v-240v	250w	7.5kg/8.5kg
SY10+10	590*500*310(mm)	610*570*340(mm)	220v-240v	250w+250w	13.5kg/15.5kg
SY13	290*520*360(mm)	570*310*390(mm)	220v-240v	300w	8.0kg/9.0kg
SY13+13	690*520*360(mm)	610*570*450(mm)	220v-240v	300w+300w	15.0kg/17.0kg

## 3-Tubes gas fryer

- Made of stainless steel, stylish appearance, suitable for household and commercial use.
- Integrated molding, strong and durable.



Model No	External Size(WxDxH),mm	Packing Size(WxDxH),mm	Air pressure(Pa)	Power	GW/NW(kg)
SY3B	400*700*950+130(mm)	850*500*1230(mm)	LPG2800Pa	1800w	51kg/66kg

# Electric salamander



## Electric salamander

- Element can be vertically moved for different cooking models.
- Removable grid and drip tray for easy cleaning.
- Model NO.450/650/800 means machine length.



Model No	Packing Size(WxDxH),mm	External Size(WxDxH),mm	Ice-making capacity	Power	G.W/N.W(kg)
SES-450	550*550*650(mm)	455*515*525(mm)	220v-240v/50Hz	2800w	35kg/37kg

## Electric salamander

- Element can be vertically moved for different cooking models.
- Removable grid and drip tray for easy cleaning.
- Model NO.450/650/800 means machine length.



Model No	Packing Size(WxDxH),mm	External Size(WxDxH),mm	Ice-making capacity	Power	G.W/N.W(kg)
SES-600	700*550*650(mm)	600*515*525(mm)	220v-240v/50Hz	4000w	46kg/48kg

## Electric salamander

- Element can be vertically moved for different cooking models.
- Removable grid and drip tray for easy cleaning.
- Model NO.450/650/800 means machine length.



Model No	Packing Size(WxDxH),mm	External Size(WxDxH),mm	Ice-making capacity	Power	G.W/N.W(kg)
SES-800	900*550*650(mm)	800*515*525(mm)	220v-240v/50Hz	5600w	51kg/53kg

# Square Bread toaster



## Square Bread toaster

- Automatic pop up.
- Two models are available.



Model No	Packing Size(WxDxH),mm	External Size(WxDxH),mm	Ice-making capacity	Power	G.W/N.W(kg)
ETS-4	340*300*260(mm)	300*220*220(mm)	220v-240v	1800w	4.0kg/5.0kg

## Square Bread toaster

- Automatic pop up.
- Two models are available.



Model No	Packing Size(WxDxH),mm	External Size(WxDxH),mm	Ice-making capacity	Power	G.W/N.W(kg)
ETS-6	430*300*260(mm)	435*220*220(mm)	220v-240v	2500w	5.5kg/6.5kg

## Electric conveyor toaster

- High quality ego control.
- Continuous high efficiency baking.
- All parts made by stainless steel.



Model No	Packing Size(WxDxH),mm	External Size(WxDxH),mm	Ice-making capacity	Power	G.W/N.W(kg)
TT-150	540*370*420(mm)	300*420*410(mm)	220v-240v	1380w	12.0kg/13.0kg

## Electric conveyor toaster

- High quality ego control.
- Continuous high efficiency baking.
- All parts made by stainless steel.



Model No	Packing Size(WxDxH),mm	External Size(WxDxH),mm	Ice-making capacity	Power	G.W/N.W(kg)
TT-300	540*450*420(mm)	380*420*410(mm)	220v-240v	2200w	13.5kg/15.0kg

## Electric conveyor toaster

- High quality ego control.
- Continuous high efficiency baking.
- All parts made by stainless steel.



Model No	Packing Size(WxDxH),mm	External Size(WxDxH),mm	Ice-making capacity	Power	G.W/N.W(kg)
TT-450	540*530*420(mm)	480*420*410(mm)	220v-240v	2800w	16.0kg/17.0kg

## Electric Contact Grill Single

- We have three different model for the plate.
- All ribbed & all flat.
- Half ribbed and half flat.



I Model No	Packing Size(WxDxH),mm	External Size(WxDxH),mm	Ice-making capacity	Power	G.W/N.W(kg)
SYCG-811	410*440*250(mm)	370*305*190(mm)	220v-240v	1800w	13.0kg/14.0kg

## Electric Contact Grill Single

- We have three different model for the plate.
- All ribbed & all flat.
- Half ribbed and half flat.



I Model No	Packing Size(WxDxH),mm	External Size(WxDxH),mm	Ice-making capacity	Power	G.W/Z.N.W(kg)
SYCG-811E	530*440*250(mm)	425*370*190(mm)	220v-240v	2200w	17.0kg/18.0kg

## Electric Contact Grill Double

- We have three different model for the plate.
- All ribbed & all flat.
- Half ribbed and half flat.



I Model No	Packing Size(WxDxH),mm	External Size(WxDxH),mm	Ice-making capacity	Power	G.W/Z.N.W(kg)
SYCG-813	640*480*280(mm)	565*370*190(mm)	220v-240v	1800+1800w	27.0kg/28.0kg



Model No. SDW-1



Model No. SDW-2



Model No. SDW-3



Model No. SDW-4



Model No. SDW-6



I Model No	External Size(WxDxH),mm	Ice-making capacity	Power(w)
SDW-1	320*290*410(mm)	220-240v/50Hz-60Hz	450w
SDW-2	390*290*410(mm)	220-240v/50Hz-60Hz	500w
SDW-3	540*290*410(mm)	220-240v/50Hz-60Hz	525w
SDW-4	540*290*410(mm)	220-240v/50Hz-60Hz	550w
SDW-6	660*290*410(mm)	220-240v/50Hz-60Hz	600w



Model No	Packing Size(WxDxH),mm	Plate diameter	N.W(kg)	G.W(kg)
SYH-100	280*230*210(mm)	100(mm)	5.2(kg)	6.5(kg)
SYH-130	280*230*310(mm)	130(mm)	5.5(kg)	6.7(kg)
SYH-150	280*230*310(mm)	150(mm)	5.8(kg)	6.9(kg)



Model No	Packing Size(WxDxH),mm	Ice-making capacity	Power(w)	N.W(kg)
KS100E	233*188*210(mm)	110v/240v/50Hz/60Hz	80w	1.6kg
KS100B	240*190*258(mm)	12v	80w	2.0kg
KS100B-1	240*190*258(mm)	12v	80w	2.0kg



Model No	External Size(WxDxH),mm	Packing Size(WxDxH),mm	Ice-making capacity	N.W(kg)	G.W(kg)
SY-10	280*150*150(mm)	585*420*320(mm)	230v/50Hz	1.0kg	1.1kg
SY-11	455*150*170(mm)	490*350*425(mm)		5.0kg	5.3kg



Model No	Packing Size(WxDxH),mm	Ice-making capacity WEB	Power(w) #*	Qty
HK-109	430*415*600(mm)	220v/50Hz~60Hz*110v/60Hz	300w	4pCS
HK-060	555*435*710 (mm)	220v/50Hz~60Hz*110v/60Hz	300w	4pcs

◆ Conical filter tray: smooth and uniform distribution, full press, separation of solids

◆ Stainless steel material: stainless steel makes material durable, sanitary

◆ Removable cleaning: the parts that touch the fruit can be removed and washed

◆ Thickening press cover: thickening cover body has fine workmanship

◆ Full of material: resistant to easy deformation, durable

◆ U-type thickened plate: stable and compact, is not prone to deformation

◆ U-type design, thickened plate: increase the weight, stable

◆ U-type design, thickened plate: increase the weight, stable

◆ U-type design, thickened plate: increase the weight, stable

◆ U-type design, thickened plate: increase the weight, stable

◆ U-type design, thickened plate: increase the weight, stable

◆ U-type design, thickened plate: increase the weight, stable

◆ U-type design, thickened plate: increase the weight, stable

◆ U-type design, thickened plate: increase the weight, stable

◆ U-type design, thickened plate: increase the weight, stable

◆ U-type design, thickened plate: increase the weight, stable

◆ U-type design, thickened plate: increase the weight, stable

◆ U-type design, thickened plate: increase the weight, stable

◆ U-type design, thickened plate: increase the weight, stable

◆ U-type design, thickened plate: increase the weight, stable

◆ U-type design, thickened plate: increase the weight, stable

◆ U-type design, thickened plate: increase the weight, stable



### Electric Contact Grill Single



J Model No	External Size(WxDxH),mm	N.W	G.W	Packing
SG-05	260*200*470(mm)	5.0kg	5.4kg	4pc/ctn

### Electric Contact Grill Single



J Model No I	External Size(WxDxH),mm	I N.W	G.W	Packing
SG-06	260*200*470(mm)	4.8kg	5.3kg	4pc/ctn

### Electric Contact Grill Single



I Model No	External Size(WxDxH),mm	I N.W	G.W	Packing
SG-07	260*200*470(mm)	4.8kg	5.3kg	4pc/ctn

◆◆ Beautiful appearance: fashionable appearance, suitable for both home and business.

- ◆ Detachable knife head: it is fixed with high-quality sheep horn nut, which can be removed easily, so that the blade can last longer.
- ◆ Guide groove: POM high-wear-resistant plastic shall be attached to guide groove to prevent metal from touching each other



### Electric chip maker



Model No	External Size(WxDxH),mm	Ice-making capacity	Power	N.W(kg)	G.W(kg)
SG-01AUTO	365*235*240(mm)	110v-60Hz/220v-50Hz	60w	7.0kg	7.4kg

### Hand chip machine



Model No	External Size(WxDxH),mm	Ice-making capacity	Power	N.W(kg)	G.W(kg)
SG-02	280*170*240(mm)				

### Hand chip machine



Model No 型号	External Size(WxDxH),mm 外形尺寸	Ice-making capacity 出量	Power 功率	N.W(kg) 净重	G.W(kg) 毛重
SG-03	280*200*2100(mm)			3.5kg	4.0kg

# Water boiler

(size):10L/20L/30L/40L

(voltage):220v

(power):1500w/2000w/2500w



## Soup kettle



Model No	Packing Size(WxDxH),mm	Capacity	Ice-making capacity	Power(w)	N.W/G.W(kg)
SB-6000	355*355*410(mm)	10L	220v/50Hz-110v/60Hz	400w	5.9kg/4.6kg
SB-6000S	355*355*410(mm)	10L	220v/50Hz-110v/60Hz	600w	5.8kg/4.6kg

## Soup kettle



Model No	Packing Size(WxDxH),mm	Capacity	Ice-making capacity	Power(w)	N.W/G.W(kg)
SB-5700	295*295*410(mm)	5.7L	220v/50Hz-110v/60Hz	300w	3.9kg/3.4kg
SB-5700S	295*295*410(mm)	5.7L	220v/50Hz-110v/60Hz	300w	4.2kg/3.5kg

Model No ZCF301

Model No ZCF302

Model No ZCF303



Model No	Packing Size(WxDxH),mm	N.W(kg)	G.W(kg)
ZCF301	400*310*545(mm)	4.1kg	6.0kg
ZCF302	610*410*540(mm)	8.4kg	11.8kg
ZCF303	920*405*540(mm)	12.5kg	17.1 kg

# Bain marie



Model No

## Bain marie




Model No	External Size(WxDxH),mm	Packing Size(WxDxH),mm	Ice-making capacity	Power(w)	N.W/G.W(kg)
TEM-2	565*380*275(mm)	620*420*280(mm)	220v-240v	1500w	8.5kg/9.0kg

Model No

TCM-3

## Bain marie



Model No	External Size(WxDxH),mm	Packing Size(WxDxH),mm	Ice-making capacity	Power(w)	N.W/G.W(kg)
TEM-3	590*380*270(mm)	620*420*280(mm)	220v-240v	1500w	8.5kg/9.0kg

Model No

TCM-1



Model No

TCM-6



Model No	External Size(WxDxH),mm	Packing Size(WxDxH),mm	Ice-making capacity	Power(w)	N.W/G.W(kg)
TEM-4	700*590*270(mm)	730*630*280(mm)	220v-240v	1500w	18.0kg/19.0kg
TEM-6	690*590*270(mm)	730*630*280(mm)	220v-240v	1500w	20.0kg/21.0kg

# Chafing dish



Model No. CD6033



Model No. CD6066



Model No. CD6099



Model No	Packing Size(WxDxH),mm	Ice-making capacity	Power(w)	N.W(kg)	G.W(kg)
CD6033	510*450*260(mm)	—	■	8.3kg	9.7kg
CD6066	450*410*260(mm)	—	■	9.7kg	9.7kg
CD6099	590*450*260(mm)	10.4kg	12.2kg		

Model No. CD6013



Model No. CD6014



Model No. CD6015



Model No	Packing Size(WxDxH),mm	Ice-making capacity	Power(w)	N.W(kg)	G.W(kg)
CD6013	510*450*230(mm)	220-240v/50Hz/60Hz	400w	9.8kg	14.4kg
CD6014	510*430*230(mm)	220-240v/50Hz/60Hz	400w	9.2kg	10.8kg
CD6015	620*510*230(mm)	220-240v/50Hz/60Hz	400w	11.4kg	13.5kg

Model No. CD6016



Model No. CD6017



Model No. CD6018



Model No	Packing Size(WxDxH),mm	Ice-making capacity	Power(w)	N.W(kg)	G.W(kg)
CD6016	540*480*250(mm)	220-240v/50Hz/60Hz	400w	11.8kg	13.5kg
CD6017	540*430*250(mm)	220-240v/50Hz/60Hz	400w	11.4kg	13.1kg
CD6018	620*510*250(mm)	220-240v/50Hz/60Hz	400w	13.8kg	15.8kg



**Stainless steel soup warmer**



Model No	Packing Size(WxDxH),mm	Power	N.W(kg)	G.W(kg)
SYW-10	510*440*350(mm)	400w	12.8kg	14.5kg

**Stainless steel soup warmer**



Model No	Packing Size(WxDxH),mm	Power	N.W(kg)	G.W(kg)
SYW-10	510*480*350(mm)	400w	11.8kg	13.5kg





**EXPERIENCE**  
 has been committed to the  
 research, development,  
 manufacturing and



Currently we have 116  
 professional R & D TEAM  
 technicians.



100% ORIGINAL MATERIAL  
 17\$ FYUSVTJPO . "#



ODM AND OEM SUPPORT  
 We can accept OEM/ODM  
 customization



Quality products and  
 competitive price.

## PROVIDE OEM AND ODM SERVICES

QUALITY PRODUCTS AND COMPETITIVE PRICE

## CONTENTS

- Vertical Display Glass Door Series
- Chest Freezer Glass Door Series
- Cake Showcase Glass Door Series
- Vertical (cooling) Display Refrigerator
- Vertical (cooling) Display Refrigerator Door Hinge, Handle, Gasket

## Cake Showcase


Quality products and competitive price





## Freezer/Fridge Glass door

- Quality PVC frame by paint
- Color White,Red,Black etc.
- Tempered & Low-e Glass
- With Plastic & Rubber gasket
- With Hinge & Door Handle
- For Freezer or Fridge
- 110V/220V
- Size can be customized





## Freezer/Fridge Glass door

- Quality PVC frame
- White Black color etc
- Tempered Glass
- With Plastic or Rubber gasket
- For Freeze or Fridge use
- With Hinge & Door Handle
- Size can be customized
- Acrylic can be added



## Freezer/Fridge Glass door


- Aluminum or Stainless frame
- Tempered & Low E Glass
- Plastic or Rubber gasket
- For Freeze or Fridge use
- With Hinge & Door Handle
- Size can be customized
- 110V/220V if needed






## Chest Freezer Glass

- PP Material or PVC
- Color White, Red, Grey etc.
- Tempered & Low-e Glass
- Size can be customized





## Cake Showcase Glass/Insulated

• 4mm/5mm/6mm/8mm/10mm/12mm

• High Tempered Glass  
 • Painted Black/White/Gold etc.

• Hole size be customized

• Single Glass/Insulated panel

• Size can be customized





## Refrigerator Sliding Glass door for DELI



## Cake Showcase Glass panel

- Curved Tempered Glass
- Color White, Red, Black etc.
- Size can be customized
- Insulated Glass



## Cake Showcase Glass panel

- Single Flat or Curved Tempered Glass
  - Color White, Red, Black etc.
  - Size can be customized
- Sample Assembly as below

## Cake Showcase Glass panel

- Flat Tempered Glass
- Color White, Red, Black etc.
- Insulated Glass
- Size can be customized



## Freezer/Fridge Glass Door

- PVC Coated Aluminum Profile
- Color Black and Red, etc.
- Tempered & Low-e Glass
- With Plastic & Rubber Gasket
- With Hinge & Door Handle
- For Freezer or Fridge
- 110/220V if needed
- Size can be customized



## Refrigerator Showcase sliding glass door

- Aluminum frame
- Black color
- With Magnetic Gasket
- Sliding Glass Door
- For display showcase
- Size can be customized  
cake showcase
- Single, Tempered, Low-e



Ultra Clear Glass

## Refrigerator Showcase sliding glass door

- Aluminum frame
- Silver, Stainless Color
- With Magnetic Gasket
- Sliding Glass Door
- For display showcase , cake showcase
- Size can be customized
- Double/Insulated

Tempered,  
Low-e  
Ultra Clear  
Glass



## Cabinet Frame with Sliding Door

- Aluminum profile and corner
- Color as picture
- Size can be customized
  
- Back side with non-slip strip



## Refrigerator Glass Door

- Plastic Frame
- Size can be customized



## Heating ink insulating glass

- Tempered & Low-e coating glass

- 110V/220V
- Size can be customized




## Insulating Glass Door

- Golden silk screen
- Size can be customized




## Bottle Cooler Glass Door

- LED inside with acrylic sheets
- Size can be customized
- LED light color red, white, blue, etc.



## Cake Showcase Glass

• Ultra clear glass or clear



• Tempered glass

• High temperature paint

• Black, White, Gold etc.

• Notch available

• For cake showcase

• Size can be customized



## Heating glass


• Tempered & Low-e coating glass

• 110V/220V

• High temperature paint can be choosed

• Resistance, power can be customized

• Size can be customized




## Digital display with Touch panel

• Light can be Blue/Red/White.

• 110V/220V

• High Quality PCB board



## FNCD-4X4.5X490


fins 4x4.5x490 with galvanized sheet

motor fan  $\varnothing$  250/28=2pcs



## FNCD-2X4.5X270

fins 2x4.5x270 with galvanized sheet



## FNCD-4X5X270

fins 4x5x270 with galvanized sheet

motor fan  $\varnothing$  250/28=1pc




## FNCD-3X4X245

fins 3x4x245 with galvanized sheet

motor fan  $\varnothing$  200/34=1pc



• PVC Extrusion



• PVC or Rubber Gasket



• PVC Extrusion



• Water tube



• Frame corner




• Showcase parts



• Hinge



• Kitchen equipment parts



• Lamp plug



• Handle



• Temperature control panel



• Door cap




• Door plug



• Others



Basket meshes



• Digital printing glass





• Cabinet handle



• Hollow insulated glass

Fan cooling







## Commercial Kitchen Equipment Series

Commercial Cooking Equipment is one of the most important part in the commercial kitchen . We offer a wide arxi professional cooking equipment to help you have a perfect cooking

Electric Criddle With Cabinet

Model	SC9080-TG(900)	SC9080-TG(700)
Volts	3N-400V	3N-400V
Power	9kW	7.5kW
NAV	118kg	/
Temp. range	120-300X	120-300°C
Material	201	201
(mm) Dimension	800X900X850(+70)	700X700X850(+70)
(mm) Packing Size	880X980X970	780X780X970



Electric Fryer with Cabinet<2 tank 2 basket)

Modd	SC9080-TC(900)	SC9080-TC(700)
Volts	3N-400V	3N-400V
Power	9kwX2	9kwX2
w	78kg	/
Temp. range	95-190°C	95-190°C
Material	304/201	304/201
(mm) Dimension	800X900X850(+70)	700X700X850(+70)
(mm) Packing Size	880X980X970	780X780X970



Gas Griddle With Cabi

Model	SC9080-RG(900)	SC9080-RG(700)
HP	11kW	10kW
N/W	120kg	/
VT	2800Pa/2000Pa	2800Pa/2000Pa
Material	201	201
(mm) Dimension	800X900X850(+70)	700X700X850(+70)
(mm) Packing Size	880X980X970	780X780X970



Gas Fryer With Cabinet(2 tank 2 basket)

Model	SC9080-RC(900)	SC9080-RC(700)
HP	10kwX2	9kwX2
N/W	79kg	/
Temp. range	85-190°C	85-190°C
VT	2800Pa/2000Pa	2800Pa/2000Pa
Material	304/201	304/201
(mm) Dimension	800X900X850(+70)	700X700X850(+70)
(mm) Packing Size	880X980X970	780X780X970
It Capacity (l)	30LX2	25LX2



Electric Bain Marie With Cabinet

Model	SC9080-TB(900) SC9080-TB (700)	
Volts	3N-400V	3N-400V
Power	3kWX2	3kWX2
N/W	62kg	/
Temp, range	45-90X	45-90°C
Material	304/201	304/201
(mm) Dimension	800X900X850(+70) 700X700X850(+70)	
(mm) Packing Size	880X980X970	780X780X970



Electric Pasta Cooker With Cabinet

Model	SC9080-TM (900) SC9080-TM (700)	
Volts	3N-400V	3N-400V
Power	12kWX2	9kWX2
NM	86kg	/
Temp, range	50-100°C	50-100°C
Material	304/201 304/201	
(mm) Dimension	800X900X850(+70) 700X700X850(+70)	
包装尺寸(mm) Packing Size	880X980X970	780X780X970



Gas Bain Marie With Cabinet

Model	SC9080-RB(900)	SC9080-RB(700)
HP	6kW	6kW
M/W	66kg	/
VT	2800Pa/2000Pa	2800Pa/2000Pa
Material	304/201	304/201
(mm) Dimension	800X900X850(+70)	700X700X850(+70)
(mm) Packing Size	880X980X970	780X780X970



Gas Pasta Cooker With Cabinet

Model	SC9080-RM (900) SC9080-RM (700)	
HP	11kWX2	9kWX2
N/W	85kg	/
Y/T	2800Pa/2000Pa	2800Pa/2000Pa
Material	304/201	304/201
(mm) Dimension	800X900X850(+70) 700X700X850(+70)	
(mm) Packing Size	880X980X970	780X780X970



Electric Lava Rock Grill With Cabinet

Modd	SC9080-TH (900)	SC9080-TH(700)
Voltt	3N-400V	3N-400V
Power	12kW	9kW
NM	78kg	/
Temp. range	STEPLESS REGULATION	STEPLESS REGULATION
Material	201	201
(mm) Dimension	800X900X850(+70)	700X700X850(+70)
(mm) Packing Size	880X980X970	780X780X970



Gas Range 4-Burner With Cabinet

Model	SC9080-RE(900)	SC9080-RE(700)
HP	5.5kwX2+7.5kwX2	3.5kwX4+5.5kwX2
N/W	96kg	/
YT	2800Pa/2000Pa	2800Pa/2000Pa
Material	201	201
(mm) Dimension	800X900X850(+70)	700X700X850(+70)
(mm) Packing Size	880X980X970	780X780X970



Gas Lava Rock Grill With Cabinet

Model	SC9080-RH (900)	SC9080-RH(700)
HP	11kW	10kW
N/W	80kg	/
VT	LPG/NG	LPG/NG
Material	201	201
(mm) Dimension	800X900X850(+70)	700X700X850(+70)
(mm) Packing Size	880X980X970	780X780X970



GasRange 4 Burner With Oven

Model	SC9080-RQV-4(900)	SC9080-RQV-4 (700)
HP	5.5kwX2+7.5kwX2	3.5kwX4+5.5kwX2
M/W	96kg	/
YT	2800Pa/2000Pa	2800Pa/2000Pa
Material	201	201
(mm) Dimension	800X900X850(+70)	700X700X850(+70)
(mm) Packing Size	880X980X970	780X780X970





Electric 4 Hot-Plate Cooker With Cabinet

Model	SC9080-TES(900) SC9080-TES(700)	
volts	3N-400V	3N-400V
Power	4kwX4	2.6kwX4
N/W	72kg	/
Temp. range	档位调节 档位调节	
Material	201 201	
(mm) Dimension	800X900X850(+70) 700X700X850(+70)	
(mm) Packing Size	880X980X970	780X780X970



Electric Tilting Braising Pan

Model	SC9080-TS(900) SC9080-TS (700)	
Volts	3N-400V	3N-400V
Power	12kW	10kW
N/W	136kg	/
Temp. range	120-350°C	120-350°C
Material	444/201 444/201	
(mm) Dimension	800X900X850(+70) 700X700X850(+70)	
(mm) Packing Size	880X980X970	780X780X970



Electric 4 Hot-Plate Cooker With Cabinet

Model	SC9080-TER(900) SC9080-TER (700)	
Volts	3N-400V	3N-400V
Power	4kwX4	2.6kwX4
N/W	72kg	/
Temp. range	GEAR	
Material	201 201	
(mm) Dimension	800X900X850(+70) 700X700X850(+70)	
(mm) Packing Size	880X980X970	780X780X970



Gas Tilting Braising Pan

Model	SC9080-RS(900) SC9080-RS(700)	
HP	11kW	10kW
N/W	142kg	/
VT	2800Pa/2000Pa	2800Pa/2000Pa
Material	444/201 444/201	
(mm) Dimension	800X900X850(+70) 700X700X850(+70)	
(mm) Packing Size	880X980X970	780X780X970



## COMBINATION OVEN SERIES

### Electric Jacketed Boiling Pan

Model	SC9080-TO(900)	SC9080-TO (700)
Volts	3N-400V	3N-400V
Power	12kW	10kW
NM	148kg	/
Temp. range	60-100°C	60-100°C
Material	304/201	304/201
(mm) Dimension	800X900X850(+70)	700X700X850(+70)
(mm) Packing Size	880X980X970	780X780X970



### Gas Jacketed Boiling Pan

Model	SC9080-RO(900)	SC9080-RO (700)
HP	12kW	10kW
M/W	160kg	/
vr	2800Pa/2000Pa	2800Pa/2000Pa
Material	304/201	304/201
(mm) Dimension	800X900X850(+70)	700X700X850(+70)
(mm) Packing Size	880X980X970	780X780X970



### Gas Fryer With Cabinet



SC-DZL28L  
Gas Fryer With Cabinet

SC-DZL28L-2  
Gas Fryer With Cabinet

Model	Capacity(L)	HP(KW)	WT	Dimension
SC-DZL28L	28L	3N-380V, 18KW	2800Pa	400X800X125
SC-DZL28L-2	28L+28L	3N-380V, 18+18KW	2800Pa	800X800X125

### Table Top Gas Fryer



SC-71A(8L)  
Table top Gas Fryer

SC-72A(8L+8L)  
Table top Gas Fryer

SC-73A(16L)  
Table top Gas Fryer

Model	(L) Capacity(L)	HP(KW)	N/W	Temp. range	wn	(mm) Dimension
SC-71A(8L)	8L	6.2KW	17kg	50-190°C	2800Pa	310X660X550
SC-72A(8L+8L)	8L+8L	19.3KW	27kg	50-190°C	2800Pa	616X660X550
SC-73A(16L)	16L	27KW	25kg	50-190°C	2800Pa	550X660X550



Gas Fryer with cabinet

Model	SC-3G	SC-4G
(L) QpdCHy(L)	35-40L	35-40L
(KW) HP	27KW	36KW
N/W	60kg	65Kg
VT	2000Pa/2800Pa /IOOPa	2000Pa/2800Pa /IOOPa
(mm) Dimension	395X780X1125	395X780X1125
Valve device	A- Sitte	B- Robertshaw



Gas Fryer with cabinet

Model	SC-5G
(L) Capacity(L)	50-60L
(KW) HP	45KW
N/W	78kg
VT	2000Pa/2800Pa /IOOPa
(mm) Dimension	535X780X1125
Valve device	A-B- Sitte Robertshaw



SC-GR-24

(2)

Table Top Gas Griddle



SC-GR-36

(3)

Table Top Gas Griddle

Model	HP(KW)	N/W	(mm) Plate Size	(mm) Dimension
SC-GR-24	9.2KW	70.5kg	605X510mm	610X740X438
SC-GR-36	13.8KW	100kg	910X510mm	915X740X438



EI SC-GR-48

(4)Table Top Gas Griddle



SC-GR-60

(5)Table Top Gas Griddle

Model	HP(KW)	N/W	(mm) Plate Size	(mm) Dimension
SC-GR-48	18.4KW	129kg	1215X510	1220X740X438
SC-GR-60	23KW	154kg	1520X510	1525X740X438

ELECTRIC CONVECTION OVEN

(f) Electric Convection Oven



SC-1A (SE)		3 SC-4A				E3 SC-8A			
Model	Volts	Power (KW)	N.W	Capacity	Inner Temperature (°C)	Plate Size(mm)	Operations	Layers	Dimension (mm)
SC-1A (SE)	220-240V	1.3KW	42kg	60L	230°C	435X315	MACHINERY	4Layers	600X595X570
SC-4A	220-240V	3.6KW	44kg	60L	300°C	435X315	MACHINERY	48Layers	600X595X570
SC-8A(SE)	3N-400V	6.4KW	68kg	100L	300°C	600X400	MACHINERY	4Layers	800X755X560

Electric Convection Oven



E3 SC-3A SC-3B SG4B

Model	Volts	Power (KW)	N.W	Capacity	Inner Temperature (°C)	Plate Size(mm)	Operations	Layers	Dimension (mm)
SC-3A	220-240V	1.3KW	32kg	48L	300°C	435x315	MACHINERY	3	620X550X375
SC-3B	220-240V	1.3KW	32kg	48L	300°C	435x315	COMPUTER	3	620X550X375
SC-4B	220-240V	3.6KW	48kg	60L	300°C	GN1/1	COMPUTER	4	680X635X475

ELECTRIC CONVECTION OVEN

(f) Electric Convection Oven



SC-5B / SC-5C

SC-7B / SC-7C

Model	Volts	Power (KW)	N/W	Capacity	Inner Temperature (°C)	Plate Size(mm)	Operations	Layers	Dimension(mm)
SC-5B	3N-400V	5.4KW	82kg	100L	300°C	GN1/1	触屏	5层	738X850X610
SC-5C	3N-400V	5.4KW	82kg	100L	300°C	GN1/1	触屏	5层	738X850X610
SC-7B	3N-400V	6.5KW	92kg	120L	300°C	GN1/1	电脑	7层	738X850X750
SC-7C(M)	3N-400V	6.5KW	92kg	120L	300°C	GN1/1	触屏	7层	738X850X750

(f) Electric Convection Oven



SC-10B

SC-10C

Model	Volts	Power (KW)	N/W	Capacity	Inner Temperature (°C)	Plate Size(mm)	Operations	Layers	Dimension (mm)
SG10B	3N-400V	10.6KW	133kg	180L	300°C	GN1/1	COMPUTER	10	738X850X960
SC-10C(MI)	3N-400V	10.6KW	135kg	180L	300°C	GN1/1	TOUCH	10	738X850X960

FUMELESS BBQ GRILL



Model	Volts	(HP) HP(KW)	Grill Size (mm)	BBQ Size (mm)	WT	Weight	(mm) Dimension
SC-03S	220V/50HZ	10.4kw	775X250	775X200	2800Pa	16.5Kg	1110X415X230
SC-03-5S	220V/50HZ	13.2kw	1105X238	1100X200	2800Pa	22Kg	1418X415X230



Modd	Volts	(HP) HP(KW)	Grill Size (mm)	BBQ Size (mm)	vr	weight	(mm) Dimension
SC-03-8S	220V/50HZ	15.6kw	660X250X2	660X200X2	2800Pa	26Kg	1665X415X230

FUMELESS BBQGRILL



誤

: Ng \*



FUMELESS BBQ GRILL

Gas BBQ Grill



**SC-05A**  
Gas BBQ Grill



**SC-05-8A**  
Gas BBQ Grill

a

Gas BBQ Grill



**SC-03-5(160/200)A**  
Gas BBQ Grill



**SC-03-5(260)A**  
Gas BBQ Grill

Model	Volts	HP(KW)	Grill Size (mm)	BBQ Size <mm>	Y/T	Weight	Dimension		Volts	HP(KW)	Grill Size (mm)	BBQ Size (mm)	Y/T	weight	Dimension(mm)	
SC-05A	220V/50HZ	5.2kw	405X238	415X210	2800Pa	9Kg	670X385X210		SC-03-5(160)A	220V/50HZ	13.2kw	1105X198	1115X170	2800Pa	19Kg	1505X350X210
SC-05-8A	220V/50HZ	7.8kw	685X238	695X210	2800Pa	13Kg	945X385X210		SC-03-5(200)A	220V/50HZ	13.2kw	1105X238	1115X210	2800Pa	19.5Kg	1505X358X210
									SC-03-5(260)A	220V/50HZ	13.2kw	1105X238	1115X260	2800Pa	20Kg	1505X440X210



**SC-03-8(200/160)A**  
Gas BBQ Grill



**SC-03-8(260)A**  
Gas BBQ Grill

Model	Volts	(HP) HP(KW)	Grill Size(mm>	BBQ Size (mm)	WT	Weight	(mm) Dimension
SC-03(160)A	220V/50HZ	10.4kw	785X198	795X170	2800Pa	15Kg	1185X358X210
SC-03(200)A	220V/50HZ	10.4kw	785X238	795X210	2800Pa	15.5Kg	1185X358X210
SC-03(260)A	220V/50HZ	10.4kw	785X288	795X260	2800Pa	16Kg	1185X440X210

Modd	Volts	(HP) HP(KW)	Grill Size (mm)	BBQ Size (mm)	Y/r	Weight	(mm) Dimension
SC-03-8(200)A	220V/50HZ	15.6kw	675X238	1360X210	2800Pa	23.5Kg	1750X385X210
SC-03-8(160)A	220V/50HZ	15.6kw	675X198	1360X170	2800Pa	22.5Kg	1750X350X210
SC-03-8(260)A	220V/50HZ	15.6kw	675X238	1360X260	2800Pa	24Kg	1750X440X210

SHAWARMA MACHINE



SC-X206C-3

E SGX206C-3



SC-X206C-4



EI SC-X206C-6

Gas Shawarma Machine

Model	Volts	HP(KW>	N/W	Pressure	Material	Packing Size (mm)	Dimension(mm)
SC-X206C-3	220V/50HZ	4KW	6.7kg	2800Pa	steel	350X315X500	295X330X490
SC-X206C-4	220V/50HZ	2kw	5.4kg	2800Pa	steel	360X340X460	330X350X440
SC-X206C-6	220V/50HZ	4kw	7.3kg	2800Pa	steel	350X400X480	330X380X460



SHAWARMAMA



SC-X206C-7

Gas Shawarma Machine



Kf SC-X206C-8

Gas Shawarma Machine

Model	Volts	HP(KW)	N/W	Pressure	Material	Packing Size (mm)	Dimension(mm)
SC-X206C-7	220V/50HZ	4KW	11kg	2800Pa	steel	480X365X570	440X362X550
SC-X206C-8	220V/50HZ	8.7kw	35kg	2800Pa	steel	740X810X920	700X800X900



SC-X206C-1

Gas Shawarma



m SC-X206C-2

Gas Shawarma Machine(Adjustable)



E SC-X206G5

Gas Shawarma Machine(Adjustable)

Model	Volts	HP(KW)	N/W	Pressure	Material	Packing Size (mm)	Dimension(mm)
SC-X206C-1	220V/50HZ	6KW	23kg	2800Pa	steel	600X820X1000	550X780X945
SC-X206C-2	220V/50HZ	8kw	25kg	2800Pa	steel	600X820X1170	550X780X1115
SC-X206C-5	220V/50HZ	10kw	27kg	2800Pa	steel	600X820X1350	550X780X1285



S SC-X206P

Electric Shawarma Machine(Adjustable)



EJ SC-X2Q6P-2

Electric Shawarma Machine(Adjustable)

Model	Volts	Power (KW)	N/W	Pressure	Material	Packing Size (mm)	Dimension(mm)
SC-X206P-1	220V/50HZ	7.3KW	26kg	2800Pa	steel	600X820X1350	550X780X1285
SC-X206P-2	220V/50HZ	3.5kw	22Kg	2800Pa	steel	520X750X795	500X730X775

# SC-Q70

## Full Automatic Sealing Machine



SC-YD12(50L)  
Electric Soybean Milk Machine



SC-YR12(50L)  
Gas Soybean Milk Machine

Model	Capacity	N/W	Power	Volts	Pressure	Color	Dimension
SC-YD12(50L)	50L	80kg	10.25kw	220V/50Hz-380V/50Hz	/	STEEL	980x650x1280mm
SC-YR12(50L)	50L	90kg	1.25kw	220V/50HZ	2800Pa	STEEL	980x650x1280mm



SC-D08(30L)  
Electric Soybean Milk Machine



SC-D20(80L)  
Electric Soybean Milk Machine



SC-J01/SC-J02C  
Juice-residue separation machine

Model	Capacity	N/W	Power	Volts	Color	Dimension
SC-D08(30L)	30L	72kg	6kw	220V/50Hz-380V/50Hz	STEEL	980x535x1280mm
SC-D20(80L)	80L	95kg	15kw	380V/50HZ	STELL	1220x720x1400mm
SC-J01/SC-J02	/	24.5kg (W)	1.1kw	220V/50HZ	STEEL	570x330x650mm

Model	N/W	Power	Volts	Color	Dimension	Dimension
SC-Q70	25kg	380w	220V/50HZ	BLACK/WHITE/STEEL	370x270x570mm	430x330x610mm



**SC-Q60**  
Automatic Sealing Machine



**SC-A90**  
Semi-Automatic Sealing Machine



**SC-A9**  
Semi-Automatic Sealing Machine

Model	N/W	Power	Volts	Color	Dimension
SC-Q60	23.5kg	380w	220V/50Hz	BLACK	280x330x540mm
SC-A90	13kg	315w	220V/50Hz	YELLOW	305x280x470mm
SC-A9	14kg	315w	220V/50HZ	YELLOW	270x300x600mm



**SC-HJ9 ( SC-H9**  
Manual Sealing Machine  
5JV700CC



**SC-H8 SC-H85** Manual Sealing Machine  
500



**SC-D8GF (Htf) a**  
**SC-D85** Manual Sealing Machine  
3Jx70DCCx7

Model	N/W	Power	Volts	Color	Dimension
SC-HJ9/SC-H9	12kg	300w	220V/50HZ	YELLOW	270x270x600mm
SC-H8/SC-H85	11kg	300w	220V/50HZ	YELLOW	305x245x480mm
SC-DS/SC-D85	11kg	300w	220V/50HZ	YELLOW	270x270x600mm



**SC-H18B**  
Semi-Automatic Sealing Machine



**SC-H18** Manual Sealing Machine  
QrtIS



**SC-D3/SC-D35** Manual Sealing Machine  
SJR700CCW

Model	N/W	Power	Volts	Color	Dimension
SC-H18B	11kg	315w	220V/50HZ	YELLOW	305x280x480mm
SC-H18	11kg	300w	220V/50HZ	BLACK	305x245x480mm
SC-D3/SC-D35	11kg	300w	220V/50HZ	YELLOW	425x240x415mm



**SC-F80S**  
Full-auto Can Sealing Machine



**SC-F80**  
Manual Can Sealing Machine



**SC-GT16A**  
Full Automatic fructose Machine

Model	N/W	G/W	C.3 oer	Capacity	Power	Volts	Color	Packing Size	Dimension	I
SC-F80S	47kg	51kg	55mm	330ml 500ml	370w	220V/50-60HZ	black/white	535x375x750mm	438x235x634mm	
SC-F80	35kg	37kg	55mm	650ml	370w	220V/50-60HZ	black/white	535x375x750mm	635x360x200mm	
SC-GT16A	4.5kg		11	7.5L	600w	220V/50HZ	black	410x300x435mm	250x350x400mm	



Gas BBQ Grill

Gas BBQ Grill

SC-J111( )/SC-J111B( )

SC-J122( )/SC-J122B( )

SC-J11G( )/SC-J11( )

SC-J12G( )/SC-J12( )

Model	Color	Configuration	Dimension	Dimension	N/W	Pressure	Grill Size
SC-J111/SC-J111B	黄色	不锈钢罩/耐高温玻璃罩	355x420x195mm	340x425x205mm	5.5kg	2800Pa	320x250mm
SC-J11G/SC-J11	不锈钢						
SC-J122/SC-J122B	黄色	不锈钢罩/耐高温玻璃罩	355x590x195mm	340x600x205mm	6.8kg	2800Pa	320x425mm
SC-J12G/SC-J12	不锈钢						



Gas BBQ Grill

Gas BBQ Grill

SC-J333( )/SC-J333B( )

SC-J355( )/SC-J355B( )

SC-J33G( )/SC-J33( )

SC-J35G( )/SC-J35( )

Model	Color	Configuration	Dimension	Dimension	N/W	Pressure	Grill Size
SC-J333/SC-J333B			470x420x195mm	510x435x240mm	6.5kg	2800Pa	450x250mm
SC-J133G/SC-J33							
SC-J355/SC-J355B			470x590x195mm	470x600x205mm	9.5kg	2800Pa	450x425mm
SC-J35G/SC-J35							



Gas BBQ Grill  
SC-222 /SC-222B

SC-22G /SC-22



Gas BBQ Grill  
SC-255 /SC-255B  
SC-25G /SC-25

Model	Color	Configuration	Dimension	Dimension	N/W	Pressure	Grill Size
SC-222/SC-222B	YELLOW	SS/HIGH TEMPRATURE RESISTANT GLASS	580x420x195mm	610x435x240mm	8.5kg	2800Pa	560x250mm
SC-22G/SC-22	STEEL	SS/HIGH TEMPRATURE RESISTANT GLASS	580x590x195mm	620x610x240mm	115kg	2800Pa	560x425mm
SC-255/SC-255B	YELLOW	SS/HIGH TEMPRATURE RESISTANT GLASS					
SC-25G/SC-25	STEEL	SS/HIGH TEMPRATURE RESISTANT GLASS					



Gas BBQ Grill  
SC-233 /SC-233B  
SC-23G / SC-23



Gas BBQ Grill  
SC-333 /SC-333B  
SC-33G /SC-33

Model	Color	Configuration	Dimension	Dimension	N/W	Pressure	Grill Size
SC-233/SC-233B	YELLOW	SS/HIGH TEMPRATURE RESISTANT GLASS	800x420x195mm	840x435x240mm	12.5kg	2800Pa	790x250mm
SC-23G/SC-23	STEEL	SS/HIGH TEMPRATURE RESISTANT GLASS	800x590x195mm	840x620x240mm	16.5kg	2800Pa	790x425mm
SC-333/SC-333B	YELLOW	SS/HIGH TEMPRATURE RESISTANT GLASS					
SC-33G/SC-33	STEEL	SS/HIGH TEMPRATURE RESISTANT GLASS					



Gas BBQ Grill  
SC-999 /SC-999B  
SC-99G /SC-99

Gas BBQ Grill  
SC-288 /SC-288B  
SC-28G /SC-28

Model	Color	Configuration	Dimension	Dimension	N/W	Pressure	Grill Size
SC-999/SC-999B	YELLOW	SS/HIGH TEMPRATURE RESISTANT GLASS	1030x420x195mm	1070x435x240mm	14.5kg	2800Pa	1020x250mm
SC-99G/SC-99	STEEL	SS/HIGH TEMPRATURE RESISTANT GLASS	1030x590x195mm	1030x600x205mm	21kg	2800Pa	1020x425mm
SC-288/SC-288B	YELLOW	SS/HIGH TEMPRATURE RESISTANT GLASS					
SC-28G/SC-28	STEEL	SS/HIGH TEMPRATURE RESISTANT GLASS					



Gas BBQ Grill  
SC-ST100 /SC-ST100B  
SC-ST10G /SC-ST10

Gas BBQ Grill  
SC-DST100 /SC-DST100B  
SC-DST10G /SC-DST10

Model	Color	Configuration	Dimension	Dimension	N/W	Pressure	Grill Size
SC-ST100/SC-ST100B	YELLOW	SS/HIGH TEMPRATURE RESISTANT GLASS	1260x420x195mm	1280x425x205mm	19kg	2800Pa	1245x250mm
SC-ST10G/SC-ST10	STEEL	SS/HIGH TEMPRATURE RESISTANT GLASS	1260x590x195mm	1280x600x205mm	27kg	2800Pa	1245x425mm
SC-DST100/SC-DST100B	YELLOW	SS/HIGH TEMPRATURE RESISTANT GLASS					
SC-DST10G/SC-DST10	STEEL	SS/HIGH TEMPRATURE RESISTANT GLASS					

Gas BBQ Grill

---SC-SR122 /SC-SR122B

SC-SR12G /SC-SR12



Gas BBQ Grill

"SC-DSR122 ( ) /SC-DSR122B ( )

SC-DSR12G ( ) /SC-DSR12 ( )

Model	Color	Configuration	Dimension	Dimension	N/W	Pressure	Grill Size
SC-SR122/SC-SR122B	yellow	SS/HIGH TEMPRATURE RESISTANT GLASS	1500x420x195mm	1500x425x205mm	25kg	2800Pa	1480x250mm
SC-SR12G/SC-SR12	steel						
SC-DSR122/SC-DSR122B	yellow	SS/HIGH TEMPRATURE RESISTANT GLASS	1500x590x195mm	1500x600x205mm	34kg	2800Pa	1480x425mm
SC-DSR12G/SC-DSR12	steel						



SC-ZD05

Gas BBQ Grill

1.220V/50Hz.30W



SC-ZD03

Gas BBQ Grill

20--.220V/50Hz.46W



SC-F03

Gas BBQ Grill

Model	Color	Dimension	Dimension	N/W	Pressure	Grill Size
SC-ZD05	steel	670x400x210mm	705x440x240mm	9kg	2800Pa	425x220mm
SC-ZD03	steel	1180x400x210mm	1230x440x240mm	19kg	2800Pa	780x220mm
SC-F03	steel	1160x370x210mm	1200x370x230mm	16kg	2800Pa	780x180mm



SC-05

Gas BBQ Grill

WI.220V/50Hz,16W



SC-05-8

Gas BBQ Grill

.220V/50HZ,16W

Model	Color	Dimension	Dimension	NM	Pressure	Grill Size
SC-05	steel	670x400x210mm	705x440x240mm	9kg	2800Pa	425x220mm
SC-05-8	steel	940x400x210mm	990x440x240mm	12kg	2800Pa	690x220mm



SC-03(160)/SC-03(200)

Gas BBQ Grill

.220V/50HZ.32W



SC-03(260)

Gas BBQ Grill

.220V/50HZ.32W

Model	Dimension	Dimension	Grill Size	Color	N/W	Pressure
SC-03(160)	1180x370x210mm	1200x370x230mm	780x180mm	steel	16kg	2800Pa
SC-03(200)	1180x400x210mm	1230x440x240mm	780x220mm	steel	18kg	2800Pa
SC-03(260)	1180x455x210mm	1200x465x230mm	780x280mm	steel	18kg	2800Pa

SC-03-5(160)/SC-03-5(200)

Gas BBQ Grill

.220V/50Hz.32W



SC-03-8(160)/SC-03-8(200)

Gas BBQ Grill

.220V/50Hz.32W

Model	Dimension	Dimension	Grill Size	Color	N/W	Pressure
SC-03-5(160)	1500x360x210mm	1520x370x230mm	1070x180mm	steel	18kg	2800Pa
SC-03-5(200)	1500x400x210mm	1550x440x240mm	1070x220mm			
SC-03-8(160)	1750x360x210mm	1775x370x230mm	1355x180mm	steel	21kg	2800Pa
SC-03-8(200)	1750x400x210mm	1805x440x240mm	1355x220mm			



U SC-JD9-1 / SC-JD9

Electric BBQ Grill



SC-D99 SC-D9

Electric BBQ Grill

Model	Color	Dimension	Dimension	N/W	Volts	Power	Grill Size
SC-JD9-1/SC-JD9	yellow/steel	580x320x155mm	620x370x180mm	5kg	220V/50HZ	2.5kw	420x200mm
SC-D99/SC-D9	yellow/steel	955x320x155mm	1000x360x180mm	8.5kg	220V/50HZ	2.5kw	805x205mm



SC-JHD9-1 = SC-JHD9

Electric BBQ Grill



SC-DH110 SC-D110 \*Electric BBQ Grill

Model	Color	Dimension	Dimension	N/W	Volts	Power	Grill Size
SC-JHD9-1/SC-JHD9	yellow/steel	580x320x155mm	620x370x180mm	5.5kg	220V/50HZ	2.5kw	420x200mm
SC-DH110/SC-D110	yellow/steel	1080x320x155mm	1125x370x180mm	8.5kg	220V/50HZ	5kw	805x205mm



SC-JHD9-P U SC-JHD9-H  
Electric BBQ Grill \*



SC-DH110-P = SC-D110-H

Model	Color	Dimension	Dimension	N/W	Volts	Power	Grill Size
SC-JHD9-P/SC-JHD9-H	yellow/steel	685x485x155mm	740x505x180mm	9.5kg	220V/50HZ	4kw	425x335mm
SC-DH110-P/SC-D110-H	yellow/steel	1080x485x155mm	1135x505x180mm	14.5kg	220V/50HZ	8kw	330x335mm



SC-JHD9-T/ SC-JHD9-T

Electric BBQ Grill EH:304

Model	Color	Dimension	Dimension	N/W	Power	Volts	Grill Size
SC-JHD9-T	STEEL	540x280x120mm	580x335x160mm	4.5kg	2.5kw	220V/50HZ	400x250mm 425x220mm



Fumeless Electric BBQ Grill

Model	Configuration	Volts	Power	Dimension	N/W	Grill Size
SC-WD1-16	Carbon steel heating tube	220V	3.3kw	620x310x200mm	12kg	350x160mm
SC-WD1-22			3.5kw	620x370x200mm	13kg	350x220mm
SC-WD1-26			4.2kw	620x410x200mm	14kg	350x260mm
SC-WD2-16	Carbon steel heating tube	220V/380V	6.6kw	1000x310x200mm	15kg	650x160mm
SC-WD2-22			7kw	1000x370x200mm	16kg	650x220mm
SC-WD2-26	Carbon steel heating tube	380V	8.4kw	1000x410x200mm	17.3kg	650x260mm
SC-WD3-16	Carbon steel heating tube	380V	9.9kw	1400x310x200mm	18.5kg	920x160mm
SC-WD3-22			10.5kw	1400x370x200mm	20kg	920x220mm
SC-WD3-26			12.6kw	1400x410x200mm	21.8kg	920x260mm
SC-WD4-16	Carbon steel heating tube	380V	13.2kw	1700x310x200mm	23.5kg	1220x160mm
SC-WD4-22			14kw	1700x370x200mm	25.5kg	1220x220mm
SC-WD4-26	Carbon steel heating tube	380V	16.8kw	1700x410x200mm	26.5kg	1220x260mm
SC-WD5-16			16.5kw	2000x310x200mm	27.4kg	1520x160mm
SC-WD5-22			17.4kw	2000x370x200mm	29kg	1520x220mm
SC-WD5-26	21 kw	2000x410x200mm	29.8kg	1520x260mm		



SC-D150  
Electric BBQ Grill



SC-JKD2/SC-JKD3  
Electric BBQ Grill

Model	Color	Dimension	Dimension	NAV	Power	Volts	Grill Size
SC-D150	steel	1450x380x155mm	1490x400x180mm	21kg	3kw	220V/50HZ	1200x220mm
	steel	880x510x200mm	760x560x230mm	14.5kg	3kw	220V/50HZ	630x410mm
SC-JKD3	steel	980x510x200mm	980x550x200mm	18kg	12kw	220V/50HZ	940x410mm



Luxury electric BBQ Grill with fumeless

Model	Dimension	Volts	Power	Temperature range	Color	Grill Size
SC-XWD1-22	620x370x250mm	220V	3.8KW	0-100X	steel	450x220mm
SC-XWD2-22	1060x370x250mm	220V	7.6KW	0-100°C	steel	890x220mm
SC-XWD3-22	1465x370x250mm	220V/380V	11.3KW	0-100X	steel	1290x220mm
SC-XWD3-26	1465x410x250mm	220V/380V	13KW	0-100°C	steel	1280x260mm
SC-XWD4-26	1772x410x250mm	220V/380V	17.5KW	0-100°C	steel	1700x260mm



Fumeless Gas BBQ Grill

Model	Product name	Volts	Power	N/W	Dimension	Grill Size
SC-WR1-18	6-180	2800Pa	26.5w	16.55kg	805x420x280mm	450x180mm
SC-WR1-22	6-220	2800Pa	26.5w	17.75kg	805x460x280mm	450x220mm
SC-WR1-26	6-260	2800Pa	26.5w	19.25kg	805x490x280mm	450x260mm
SC-WR2-18	12-180	2800Pa	26.5w	26kg	1240x420x280mm	890x180mm
SC-WR2-22	12-220	2800Pa	26.5w	27.5kg	1240x460x280mm	890x220mm
SC-WR2-26	12-260	2800Pa	26.5w	29kg	1240x490x280mm	890x260mm
SC-WR3-18	18-180	2800Pa	26.5w	37kg	1675x420x280mm	1320x180mm
SC-WR3-22	18-220	2800Pa	26.5w	38.5kg	1675x460x280mm	1320x220mm
SC-WR3-26	18-260	2800Pa	26.5w	41kg	1675x490x280mm	1320x260mm
SC-WR4-18	24-180	2800Pa	26.5w*2	45kg	2110x420x280mm	1760x180mm
SC-WR4-22	24-220	2800Pa	26.5w*2	49.5kg	2110x460x280mm	1760x220mm
SC-WR4-26	24-260	2800Pa	26.5w*2	55kg	2110x490x280mm	1760x260mm



SC-206P  
Electric Chicken Rotisserie  
220V/50Hz

SC-206C  
Gas Chicken Rotisserie  
220V/50Hz,



SC-ER266 SC-ER268

Electric Rotisserie  
220V/50Hz,

Model	Color	Power	N/W	Dimension
SC-206P	steel	7kw	106kg	670x650x1580mm
SC-206C			106kg	670x650x1580mm
SC-ER266(No pulley)	steel	6kw	65kg	810x630x680mm
SC-ER268			71kg	1030x600x800mm



SC-X206C-3  
Gas Shawarma Adjustable



SC-X206C-4  
Gas Shawarma Adjustable



SC-X206C-6  
Gas Shawarma Adjustable

# Beverage Series

Beverage machine is very popular in snack business, bar, and kitchen. We offer different kinds of, and help you enjoy life.

Model	Color	Dimension	N/W	Volts	HP	Pressure
SC-X206C-3	STEEL	295x330x490mm	6.7kg	220V/50HZ	6kw	2800Pa
SC-X206C-4	STEEL	330x350x440mm	5.4kg	220V/50HZ	6kw	2800Pa
SC-X206C-6	STEEL	330x380x460mm	7.3kg	220V/50HZ	6kw	2800Pa




SC-X206C-1  
Gas Shawarma Adjustable  
220V/50Hz,



SC-X206C-2  
Gas Shawarma Adjustable  
220V/50Hz, 220V/50Hz, aiDSH



SC-X206C-5



SC-X206P-1  
Electric Shawarma Adjustable  
220V/50Hz

Model	Color	Dimension	N/W	HP	Pressure & Temperature range
SC-X206C-1	STEEL	550x780x945mm	23kg	9kw	2800Pa
SC-X206C-2	STEEL	550x780x1115mm	25kg	12kw	2800Pa
SC-X206C-5	STEEL	550x780x1285mm	27kg	15kw	2800Pa7
SC-X206P-1	STEEL	550x780x1115mm	26kg	7.3kw	50-300°C





SC-M168

Soybean milk grinder



SC-N998

Blender



SC-X385

Blender



SC-X388

Blender

Model	Dimension	N/W	Volts	Power	Capacity	Crusher Capacity	Revolution
SC-M168	295x273x605mm	7kg	220/50HZ	2200w	6L	1	29000r/min
SC-N998	290x260x510mm	8kg	220/50HZ	1600w	1.2L	1	20000r/min
SC-X385	320x260x390mm	5kg	220V/50HZ	1500w	2L	30cup/h	25000r/min
SC-X388	430x300x350mm	5.5kg	220V/50HZ	1000w[R»%*]	1.75L	1	23000r/min



SC-07

Ice Crusher



SC-08

Cast Aluminium Style

Model	Configuration	Dimension	N/W	Power	Volts
SC-X10G/SC-X10	Double blade	410x230x430mm	7kg	300w	220V/50Hz,110V/60Hz
SC-07-1/SC-07-2	single/Double blade	415x270x345mm	5.3kg	250w	220V/50Hz,110V/60Hz
SC 07	single/Double blade	425x200x300mm	4.5kg	250w	220V/50Hz,110V/60Hz
SC-08	single/Double blade	425x200x300mm	5.3kg	250w	220V/50Hz,110V/60Hz



SC-989

Blender



SC-998

Blender



SC-J986

Blender



SC-X986

Blender

Model	Dimension	N/W	Volts	Power	Capacity	Revolution
SC-989	315x260x385mm	4kg	220V-240V/50-60HZ	2200w	2L	25000r/min
SC-998	325x265x390mm	4kg	220V-240V/50-60HZ	1600w	2L	25000r/min
SC-J986	455x354x329mm	4.5kg	220V/50-60HZ	2200w	2.5L	28000r/min
SC-X986	455x354x329mm	4.5kg	220V/50-60HZ	2200w	2.5L	28000r/min

# Juice Dispenser/Slush Machine



SC-1000  
Blender



SC-888E  
Blender



SC-888  
Blender



## Juice Dispenser

SC-LJ18L-1



SC-LRJ18L-1



SC-LP18L-1

SC-LRP18L-1



Model	Dimension	N/W	Volts	Power	Capacity	Revolution
SC-1000	290x285x540mm	7kg	220V-240V/50HZ	1800w	2L	25000r/min
SC-888E	455x354x329mm	5.5kg	220V/50-60HZ	2200w	3.9L	/
SC-888	455x354x329mm	5.6kg	220V/50-60HZ	2200w	3.9L	28000r/min

Model	N/W	G/W	Heat Power	Cold Power	Frequency	Volts	Dimension	Temp	Capacity
S8U18L1	24kg	26kg	/	/	/	/	/	/	/
SC-LRJ18L-1	25kg	28kg	500w	180w	50/60HZ	220V-240V/110-115V	480x360x750mm	7-12°C	52-58L
SC-LP18L-1	24kg	26kg	/	/	/	/	/	/	/
SC-LRP18L-1	25kg	28kg	500w	/	/	/	/	/	52-58°C



SC-168  
Ice Shaver



SC-999E  
Blender



SC-X500  
Juicer  
■ : 1000cup/h.HI.+185%



SC-ZT01  
Hand juice

Model	Dimension	N/W	Volts	Power	Capacity	Revolution
SC-168	480x394x685mm	18kg	220V/50HZ	180w	1	/
SC-999E	420x380x290mm	5.5kg	220V/50-60HZ	2200w	2L	1
SC-X500	350x280x490mm	7.5kg	220V/50HZ	850w	2L	18000-22000R/M
SC-ZT01	410x305x455(包装)	5.5kg	1	1	1	/


## Juice Dispenser

SC-LJ12L-2

SC-LRJ12L-2

SC-LP12L-2

SC-LRP12L-2



Model	N/W	G/W	Heat Power	Cold Power	Frequency	Volts	Dimension	Temp	Capacity
SC-LJ12L-2	25kg	28kg	/	280w	/	/	/	/	/
SC-LRJ12L-2	28kg	31kg	1000w	280w	50/60HZ	220-240V/110-115V	470x450x700mm	7-12°C	52-58°C
SC-LP12L-2	27kg	30kg	/	385w	/	/	/	/	/
SC-LRP12L-2	30kg	31kg	1000w	385w	/	/	/	/	52-53°C

Juice Dispenser Slush Machine



Beverage Series



Juice Dispenser

SC-LJ12L-3

SC-LRJ12L-3

SC-LP12L-3

SC-LRP12L-3



SC-180



SC-181



SC-182

Electric Sugar Cane Juicer

Battery SugarCane Juicer

Manual SugarCane Juicer

Model	N/W	G/W	Heat Power	Cold Power	Frequency	Volts	Dimension		5
SC-LJ12L-3	33kg	36kg		320w	50/60HZ	220V-240V/110-115V	640x450x700mm	7-12°C	52-58°C
SC-LRJ12L-3	36kg	38kg	1500w	320w					
SC-LP12L-3	36kg	39kg	1	480w					
SC-LRP12L-3	39kg	41kg	1000w	480w					

Model	Dimension	G/W	Volts	Power	Material	Diameter/Width Of Roller
SC-180	480x380x780mm	60kg	220V/50HZ	1100w	STEEL	100mm (L)
SC-181	480x380x590mm	63kg	24V/50HZ	350w	STEEL	100mm (L)
SC-182	430x320x360mm	30kg	1		STEEL	75mm (L) 110mm (W)



SC-XR12L-1

Slush Machine



SC-XR12L-2

Slush Machine



SC-XR12L-3

Slush Machine

Model	N/W	G/W	Dimension	Cold Power	Frequency	Volts	CoM-Beverage Temperature
SC-XR12L-1	32kg	40kg	280x550x880mm	400w	50/60HZ	220V-240V/110-115V	2*-3°C
SC-XR12L-2	44kg	55kg	470x550x870mm	500w			
SC-XR12L-3	63kg	78kg	660x550x870mm	600w			



SC-EMS-1

Milk Shake Machine



SC-EMS-2 Cgt

MilkShake Machine



SC-CM1/SC-CM2

Coffee Warmer(Single/Double)

Model	Dimension	N/W	G/W	Volts	Power	Material
SC-EMS-1	230x230x575mm	3kg	3.5kg	220V/50HZ	150w	STEEL
SC-EMS-2	300x255x570mm	4.5kg	5kg	220V/50HZ	180w	STEEL
SC-CM1	320x270x100mm	1.3kg	1.5kg	220V	0.06kw	STEEL
SC-CM2	380x220x100mm	1.6kg	1.8kg	220V	0.12kw	STEEL

## Beverage Series



SC-Q04

SC-Q05

SC-Q06

SC-Q07

(4) Chocolate

(5) Chocolate

(6) Chocolate

(7) Chocolate

Fountain

Fountain Machine(5

Fountain

Fountain

Machine(4 tiers)

tiers)

Machine(6 tiers)

Machine(7 tiers)

Model	Dimension	Packing Size	Color	N/W	GA/V	Volts	Power	Capacity	D/H	Temperature Range
SC-Q04	280x280x580mm	590x470x270mm	STEEL	6kg	8kg	110-220V/ 50-60HZ	210w	3kg	28/58cm	30-110°C
SC-Q05	330x330x680mm	390x390x710mm	STEEL	8kg	10kg	110-220V/ 50-60HZ	300w	4kg	33/68cm	30-150°C
SC-Q06	360x360x820mm	700x590x280mm	STEEL	9kg	11kg	110-220V/ 50-60HZ	300w	6kg	36/82cm	30-150°C
SC-Q07	430x430x1030mm	810x680x340mm	STEEL	12kg	14kg	110-220V/ 50-60HZ	350w	8kg	43/103cm	30-150°C



Water boiler


Model	Packing Size	NA*V	Volts	Power	Capacity	Remarks
SC-WB8	340x560x450mm	2.8kg	220/50HZ	1800W	8L	3pcs/ctn
SC-WB10	340x560x490mm	3.1kg	220/50HZ	1800W	10L	3pcs/ctn
SC-WB12	370x670x490mm	3.8kg	220/50HZ	1800W	12L	4pcs/ctn
SC-WB15	380x680x560mm	4.42kg	220/50HZ	1800W	15L	4pcs/ctn
SC-WB25	380x680x620mm	4.5kg	220/50HZ	1800W	25L	4pcs/ctn
SC-WB35	740x740x560mm	4.9kg	220/50HZ	2800W	35L	4pcs/ctn
SC-WB45	740x740x620mm	5.3kg	220/50Hz	2800W	45L	4pcs/c(n

## Snack series

Snack Series machine is most popular We offer a large selection for you.

in snack business, supermarket and kitchen.





**SC-P03**  
Popcorn Machine Cart

Model	Dimension	N/W	Power	Volts
SC-P03	600x520x600mm ( )	32kg	1.4kw	220V/50HZ



**SC-P01-8K**  
Popcorn Machine (With 8k Mirror)



**SC-P01B**  
Popcorn Machine ( stainless steel )

Model	Dimension	Dimension	N/W	Power	Volts	Color
SC-P01-8K	610x455x715mm	500x410x700mm	16kg	1.3kw	220V/50HZ	STEEL
SC-P01B	610x455x715mm	500x410x700mm	16kg	1.3kw	220V/50HZ	STEEL



**SC-P01**  
Common Popcorn Machine ( flat )



**SC-P02** ( roof )  
Common Popcorn Machine



**SC-P022**  
Luxury Double Pot Popcorn Machine

Model	Dimension	Dimension	N/W	Volts	Power
SC-P01	495x350x670mm	550x450x700mm	14.5kg	220V/50HZ	1.4kw
SC-P02	550x412x750mm	850x440x750mm	15.5kg	220V/50HZ	1.4kw
SC-P022	852x412x731mm	850x420x740mm	25kg	220V/50HZ	3kw



**SC-P01** ( ) /SC-P01A



**SC-P02**



**SC-P04**

Luxury Popcorn Machine

Model	Dimension	Dimension	N/W	Volts	Power
SC-P01	505x360x690mm	610x455x715mm	15kg	220V/50HZ	1.3kw
SC-P01A	505x360x675mm	610x455x715mm	15kg	220V/50HZ	1.3kw
SC-P02	560x420x740mm	610x470x790mm	17.5kg	220V/50HZ	1.3kw
SC-P02A ( )	545x405x645mm	610x470x740mm	15.5kg	220V/50HZ	1.3kw
SC-P04	560x420x740mm	610x470x790mm	17.5kg	220V/50HZ	1.3kw



SC-M03 SC-M06

Electric candy floss machine with cart



SC-M3JZ SC-M6JZ Cover for candy floss

machine

SIZE: S20x520x435(SC-M3JZ);720x720x435(SGM6JZ)-

Model	Dimension	N/W	Volts	Power	Color	OutPut
SC-M03	560x560x550mm	20kg	220V, 50Hz	1030w	RED	30(sec) /1
SC-M06	730x730x415mm	22kg				



SC-RM3/SC-RM6

GasCandy Floss Machine



SC-M3/SC-M6

Electric Candy Floss Machine

SC-M9

Electric Candy Floss Machine

Model	Configuration	Dimension	N/W	Pressure	Volts	Power	Color	OutPut
SC-RM3	Small Plates	530x530x415mm	13kg	2800Pa	220V, 50Hz	1030w	PINK	30(sec) /1
SC-RM6	Big Plates	730x730x415mm	14kg					
SC-M3	Small Plates	530x530x415mm	15kg	1	220V, 50Hz	1030w	RED	30(sec) /1
SC-M6	Big Plates	730x730x415mm	16kg					
SC-M9	Small Plates	530x530x415mm	10kg	1	220V, 50Hz	1030w	RED	



SC-DCJ-4

Electric Egg Sausage Machine



SC-DCJ-10

Electric Egg Sausage Machine



SC-GDCJ-6

Gas Egg Sausage Machine



SC-GDCJ-10

Gas Egg Sausage Machine

Model	Dimension	Configuration	N/W	Pressure	Volts	Power	Color
SC-DCJ-4	177x177x227mm	4 管/4 tubes	1.8kg	/	220V/50HZ	540w	yellow
SC-DCJ-10	345x155x235mm	108/10 tubes	5kg	/	220V-240W50-60HZ	1400w	steel
SC-GDCJ-6	385x275x410mm	6 管 /6 tubes	6kg	2800Pa	1	/	
SC-GDCJ-10	510x275x410mm	10S/10 tubes	10.2kg	2800Pa			



SC-X4-4

Luxury Electric Egg Waffle Baker



SC-X30

Electric Egg Waffle Baker



SC-X36

Gas Egg Waffle Baker

Model	Dimension	N/W	Power	Volts	Pressure	Color
SC-X4-4	490x360x335mm	7.8kg	1.4kw	220V/50HZ	1	STEEL
SC-X30	490x295x310mm	6kg	1.4kw	220V/50HZ	1	STEEL
SC-X36	450x240x250mm	5kg	1	/	2800Pa,LPG	STEEL



SC-X30A	SC-X32B-1	SC-X32B	SC-X32BL
Rotary Waffle Baker	1-Plate Waffle Baker	2-Plate Waffle Baker	2-Plate Waffle Baker

Model	Dimension	N/W	Power	Volts	Color
SC-X30A	520x320x320mm	8kg	1.2kw	220-240V/50-60HZ	steel
SC-X32B-1	420x320x285mm	5.4kg	1.3kw	220-240V/50-60HZ	steel
SC-X32B	570x420x285mm	10.4kg	2.6kw	220-240V/50-60HZ	steel
SC-X32BL	570x420x285mm	10.4kg	2.6kw	220-240V/50-60HZ	steel



SC-X30B	SC-X4	SC-U1	SC-U2
Square Rotary Waffle Baker	Square Waffle Baker	Square Waffle Baker (Single)	Square Waffle Baker (Double)

Model	Dimension	N/W	Power	Volts	Color
SC-X30B	510x370x370mm	9kg	1.2kw	220V/50HZ	steel
SC-X4	360x500x290mm	9.72kg	2.15kw	220V/50HZ	steel
SC-U1	340x450x260mm	9.8kg	2kw	220V/50HZ	steel
SC-U2	640x450x300mm	16.5kg	3kw	220V/50HZ	steel



SC-TH4	SC-TH4-2 (4)	SC-TH5	SC-TH5-2 (5)
(4) 1-Plate Waffle Baker	2-Plate Waffle Baker	(5) 1-Plate Waffle Baker	2-Plate Waffle Baker

Model	Dimension	N/W	Power	Volts	Color
SC-TH4	450x330x300mm	5.3kg	1200w	220V/50HZ	steel
SC-TH4-2	540x450x300mm ( )	13kg	1200+1200W	220V/50HZ	steel
SC-TH5	450x330x300mm	5.3kg	1200w	220V/50HZ	steel
SC-TH5-2	540x450x300mm	13kg	1200+1200w	220V/50HZ	steel



SC-LW4	SC-C6	SC-X33C-1	SC-X33C
Lolly Waffle Machine	Cone Baker	1-Plate Cone Baker	2-Plate Cone Baker

Model	Dimension	N/W	Power	Volts	Color
SC-LW4	370x470x280mm	12.2kg	1.65kw	220V/50Hz	steel
SC-C6	470x350x260mm	11kg	1.75kw	220V/50HZ	steel
SC-X33C-1	420x320x285mm	6.4kg	1kw	220-240V/50-60HZ	steel
SC-X33C	570x420x280mm	12.4kg	2kw	220-240V/50-60HZ	steel



SC-X8	SC-X118A	SC-Q118A
Waffle Baker	Waffle Baker	Waffle Baker

SC-X115A  
Round PieGrill

Model	Dimension	N/W	Power	Volts	Color
SC-X8	450x350x300mm	10.4kg	2kw	220-240V/50-60HZ	steel
SC-X118A	450x360x300mm	11kg	1.5kw	220-240V/50-60HZ	steel
SC-Q118A	450x360x300mm	11kg	1.5kw	220-240V/50-60HZ	steel
SC-X115A	450x350x300mm	10kg	1.5kw	220-240V/50-60HZ	steel



SC-X115  
Crispy Machine

SC-X118  
Crispy Machine

SC-202  
Crispy Machine

Model	Dimension	N/W	Power	Volts	Color
SC-X115	400x360x300mm	8kg	1.5kw	220-240V/50-60HZ	STEEL
SC-X118	450x360x300mm	9kg	1.5kw	220-240V/50-60HZ	STEEL
SC-202	400x360x300mm	8kg	1.5kw	220-240V/50-60HZ	STEEL



SC-HD9  
Waffle Baker

SC-HF10  
+Waffle Baker

SC-113  
Sandwich Machine

SC-S113  
Sandwich Machine

Model	Dimension	N/W	Power	Volts	Color
SC-HD9	435x410x325mm	12kg	1.5kw	220-240V/50-60HZ	steel
SC-HF10	435x410x305mm	9.5kg	1.5kw	220-240V/50-60HZ	steel
SC-113	380x330X310mm	9.5kg	1.5kw	220-240V/50-60HZ	steel
SC-S113	380x330X310mm	9.5kg	1.5kw	220-240V/50-60HZ	steel



SC-X5H  
Donut Maker

SC-X6H	SC-X12H	SC-X210
Donut Maker	Donut Maker	Crispy Machine

Model	Dimension	N/W	Power	Volts	Color
SC-X5H	400x360x300mm	8kg	1.5kw	220-240V/50-60HZ	STEEL
SC-X6H					
SC-X12H	450x360x300mm	10.4kg	1.5kw	220-240V/50-60HZ	STEEL
SC-X210					



SC-X116

Fish Cake Machine



SC-ML5

Electric Milk Hot Dog Roll



SC-PZ4

Mini Pizza Maker

Model	Dimension	N/W	Power	Volts	Color
SC-X116	450x360x300mm	10.4kg	2000w	220-240V/50-60HZ	STEEL
SC-ML5	295x530x200mm	7.9kg	1270w	220V/50HZ	STEEL
SC-PZ4	305x550x220mm	8.62kg	1850w	220V/50HZ	STEEL



SC-69

1-plate Gas Waffle Baker



SC-R212

GasCrispy Machine



SC-DY2B

Gas Fish Cake Machine

Model	Dimension	N/W	Pressure	Color
SC-69	470x350x260mm	5kg	2800Pa	steel
SC-R212	450x240x250mm	8kg	2800Pa	steel
SC-DY2B	450x240x250mm	5.5kg	2800Pa	steel



SC-HD4

Wheel Pie (Electric)



SC-HD5

Wheel Pie (Electric)



SC-HD120


Wheel Pie (Electric)

Model	Dimension	N/W	Power	Volts	Color
SC-HD4	440x290x240mm	65kg	1.5kw	220-240V/50*0Hz	STEEL
SC-HD5	410x385x320mm	8kg			
SC-HD120	410x385x320mm	8.5kg			



SC-X9A2

32-Wheel Pie (Gas)



SC-X9B2

32-Wheel Pie(Gas)

Model	Dimension	NAV	Pressure	Color
SC-X9A2	640x640x250mm	20kg	2800Pa	BLACK
SC-X9B2				STEEL



**SC-KD3**  **SC-KR3**   
 ( Electric Fish Cake Gas Fish Cake Machine  
 Machine



**SC-KD5 @ SC-KR5**  
 ) Electric Fish Cake Gas Fish Cake Machine  
 Machine

Model	Dimension	N/W	Power	Volts	Pressure	Color
SC-KD3	560x460x270mm	15kg	2kw	220-240V/50-60HZ	/	STEEL
SC-KR3	560x460x270mm	16kg	/	/	2800Pa	STEEL
SC-KD5	700x380x260mm	17kg	3kw	220-240V/50-60HZ	/	STEEL
SC-KR5	700x380x260mm	18kg	/	1	2800Pa	STEEL



**SC-DYD6**  
 Electric Fish Cake Machine



**SC-DYR6**  
 ) Gas Fish Cake  
 Machine

Model	Dimension	N/W	Power	Volts	Pressure	Color
SC-DYD6	710x700x240mm	24kg	6kw	220-240V/50-60HZ	/	STEEL
SC-DYR6	710x700x240mm	25kg	1		2800Pa	STEEL



**SC-DYD3**  
 Electric Fish Cake  
 Machine



**SC-DYR2**  
 Gas Fish Cake  
 Machine

**SC-DYD4**  
 ) Electric Fish Cake  
 Machine

**SC-DYR4**  
 Gas Fish Cake  
 Machine

Model	Dimension	N/W	Power	Volts	Pressure	Color
SC-DYD3	500x370x240mm	8kg	2kw	220-240V/50-60HZ	/	STEEL
SC-DYR2	500x370x240mm	9kg	1	/	2800Pa	STEEL
SC-DYD4	710x500x240mm	13kg	4kw	220-240V/50-60HZ	/	STEEL
SC-DYR4	710x500x240mm	14kg	/	1	2800Pa	STEEL



**SC-DYD2**  
 Electric Fish Cake  
 Machine



**SC-DY22**  
 Gas Fish Cake  
 Machine

**SC-313**  
 Electric Walnut Crispy Machine

Model	Dimension	N/W	Power	Volts	Pressure	Color
SC-DYD2	710x410x240mm	13kg	3kw	220-240V/50-60HZ	/	不銹鋼
SC-DY22	700x410x240mm	14kg	/	/	2800Pa	不銹鋼
SC-313	520x380x280mm	16.5kg	3kw	220 * 240V/50W0Hz	/	不銹鋼



SC-X113A



SC-X113R

1-Head Electric Fish Pellet Grill 1-Head Gas Fish Pellet Grill

Model	Dimension	N/W	Power	Volts	Pressure
SC-X113A	540x280x230mm	7.5kg	2kw	220-240V/50-60Hz	/
SC-X113R	540x280x230mm	8kg	/	/	2800Pa



SC-X113B



SC-X113R-1

2-Head Electric Fish Pellet Grill

2-Head Gas Fish Pellet Grill

Model	Dimension	N/W	Power	Volts	Pressure
SC-X113B	540x480x230mm	13.5kg	4kw	220-240V/50-60Hz	/
SC-X113R-1	540x480x230mm	14kg	/	/	2800Pa



SC-X113C

3-Head Electric Fish Pellet Grill



SC-X113S

3-Head Gas Fish Pellet Grill

Model	Dimension	N/W	Power	Volts	Pressure
SC-X113C	700x540x230mm	18.5kg	6kw	220-240V/50-60HZ	/
SC-X113S	700x540x230mm	19kg	/	/	2800Pa



SC-300E

Electric Souffle Machine



SC-600E

Electric Souffle Machine

Model	Dimension	N/W	Power	Volts	Remarks
SC-300E	300x480x240mm	15.5kg	1.2kw	220V/50HZ	single
SC-600E	600x480x240mm	30kg	2.4kw	220V/50HZ	Double-end



SC-300P

Electric Souffle Machine



SC-600P

Electric Souffle Machine

Model	Dimension	N/W	Power	Volts	Remarks
SC-300P	300x480x240mm	15.5kg	1.2kw	220V/50HZ	单头
SC-600P	600x480x240mm	30kg	2.4kw	220V/50HZ	双头



SC-RQ380  
GasCake Maker



SC-RQ380A  
GasCake Maker

Model	Dimension	N/W	Pressure
SC-RQ380	585x450x200mm	19kg	2800Pa
SC-RQ380A	585x450x200mm	19kg	2800Pa



SC-PK1



SC-PK2



SC-SD9

Electric Triangle Cake Maker

(25) Pancake Machine

(50) Pancake Machine

Model	Dimension	N/W	Power	Volts
SC-PK1	380x380x220mm	6.2kg	850w	220V/50HZ
SC-PK2	650x380x220mm	10.2kg	1700w	220V/50HZ
SC-SD9	490x360x210mm	9kg	2.5kw	220-240V/50-60HZ



SC-EQE35

Electric Quail Egg Machine



SC-GQE35

Gas Quail Egg Machine



SC-SR9

Gas Triangle Cake Maker

Model	Dimension	N/W	Power	Volts	Pressure
SC-EQE35	380x360x210mm	5.5kg	1.5kw	220-240V/50-60HZ	/
SC-GQE35	380x360x210mm	6kg	/	1	2800Pa
SC-SR9	490x360x210mm	9.5kg	/	1	2800Pa



SC-818D(4片)

4-slicer Toaster



SC-820D (6片)

6-slicer Toaster



Model	Dimension	N/W	Power	Volts
SC-818D (4片)	340x290x260mm	4.06kg	1.8kw	220-230V/50 60Hz
SC-820D (6片)	470x290x260mm	5.2kg	2.5kw	220-230V/50-60HZ

# Commercial kitchen Equipment

Commercial Cooking Equipment is one of the most important part in the commercial kitchen . We offer a wide and professional cooking equipment to help you have a perfect cooking





**SC-RA-4(900)/(700)**

Gas Range With 4-Burner With Cabinet



**SC-RQ-4(900)/(700)**

Gas Range With 4-Burner With Gas oven



**SC-TQ-4(900)/(700)**

Gas Range With 4-Burner With Electric oven



**SC-RA-6(900)/(700)**

Gas Range With 6-Burner With Cabinet



**SC-RQ-6(900)/(700)**

Gas Range With 6-burner & Gas oven



Model	SC-RA 4 ( 900 )	SC-RA 4 ( 700 )	SC-RQ 4 ( 900 )	SC-RQ 4 ( 700 )	SC-TQ 4 ( 900 )	SC-TQ 4 ( 700 )
Dimension	800x900x915mm	700x750x915mm	800x900x915mm	700x750x915mm	800x900x915mm	700x750x915mm
N. W (kg)	80kg	70kg	80kg	80kg	80kg	70kg
功率Power	81kw(106950BTU)	81kw(106950BTU)	87kw(127650BTU)	87kw(127650BTU)	7.8x4+4.8klv	7.8x4+4.8klv

Model	SC-RA 6 ( 900 )	SC-RA 6 ( 700 )	SC-RQ 6 ( 900 )	SC-RQ 6 ( 700 )
Dimension	1200x900x915mm	1050x750x915mm	1200x900x915mm	1050x750x915mm
N/W	150kg	140kg	150kg	140kg
Power(HP)	46.8kw(161460BTU)	46.8kw(161460BTU)	52.6kw(181470BTU)	52.6kw(181470BTU)



**SC-RQA-4(900)/(700)**  
Gas Range With 4-burner & Griddle & Gas Oven 1/2  
1/2



**SC-RQB-4(900)/(700)**

Gas Range With 4-burner & Lava Rock Grill & Gas Oven



**SC-TQ-6(900)/(700)**

Gas Range With 6-burner & Electric Oven



**SC-RQ-8(900)/(700)**

Gas Range With 8-burner & Gas Oven



Model	SC-RQA-4 ( 900 )	SC-RQA-4 ( 700 )	SC-RQB-4 ( 900 )	SC-RQB-4 ( 700 )
Dimension	1200x900x915mm	1050x750x915mm	1200x900x915mm	1050x750x915mm
N/W	150kg	140kg	150kg	140kg
Power(HP)	36.8kw(126960BTU)	35.2kw(121440BTU)	38.8kw(133860BTU)	37.3kw(128685BTU)

Model	SC-TQ 6 ( 900 )	SC-TQ 6 ( 700 )	SC-RQ 8 ( 900 )	SC-RQ 8 ( 700 )
Dim.n,lon	1200x900x915mm	1050x750x915mm	1580x900x915mm	1400x750x915mm
N/W	150kg	140kg	170kg	150kg
Power(HP)	7.8x6*4.8kw	7.8x6*4.8kw	68.2kw(235290BTU)	68.2kw(235290BTU)



SC-TC-2(900)/(700)  
Electric Fryer (2-tank & 2-basket) With Cabinet

SC-TC-1 (900)/(700)  
Electric Fryer (1-tank & 1-basket) With Cabinet

SC-TH(900)/(700)  
Electric Lava Rock Grill With Cabinet



Model	SC-TC-2 ( 900 )	SC-TC-2 ( 700 )	SC-TC-1 ( 900 )	SC-TC-1 ( 700 )	SC-TH ( 900 )	SC-TH ( 700 )
Dimension	800x900x915mm	700x750x915mm	400x900x915mm	400x750x915mm	800x900x915mm	700x750x915mm
N/W	80kg	70kg	35kg	30kg	30kg	35kg
Power	3N-380V/12kw	3N-380V/12kw	3N-380V/12kw	3N-380V/12kw	12kw	9kw
Spacity	20Lx2	20Lx2	20L	20L	3N-380V	3N-380V



Model	SC-RC-2 ( 900 )	SC-RC-2 ( 700 )	SC-RC-1 ( 900 )	SC-RC-1 ( 700 )	SC-RH ( 900 )	SC-RH ( 700 )
Dimension	800x900x915mm	700x750x915mm	400x900x915mm	400x750x915mm	800x900x915mm	700x750x915mm
N/W	100kg	90kg	30kg	50kg	30kg	70kg
Power	31kw(106950BTU)	31kw(106950BTU)	15kw(51750BTU)	15kw(51750BTU)	17kw(58650BTU)	17kw(58650BTU)
Capacity	20Lx2	20Lx2	20L	20L		



SC-RU(900)/(700)

Gas Griddle 1/3 Grooved With & Gas Oven



SC-RG(900)/(700)

Gas Griddle With Cabinet 1/3 Grooved



Model	SC-RU ( 900 )	SC-RU ( 700 )	SC-RG ( 900 )	SC-RG ( 700 )
Dimension	800x900x915mm	700x750x915mm	800x900x915mm	700x750x915mm
N/W	70kg	65kg	70kg	65kg
Power(HP)	17.8kw(61410BTU)	16.6kw(57270BTU)	12kw(41400BTU)	10.8kw(181470BTU)



SC-TU(900)/(700)

Electric Griddle 1,3 Grooved With & Wane Oven



SC-TG(900)/(700)

Electric Griddle With Cabinet 1/3 Grooved



Model	SC-TU ( 900 )	SC-TU ( 700 )	SC-TG ( 900 )	SC-TG ( 700 )
Dimension	800x900x915mm	700x750x915mm	800x900x915mm	700x750x915mm
N/W	120kg	110kg	80kg	70kg
Power(HP)	19.8kw	12.8kw	15kw	8kw
Volts	3N-380V	3N-380V	3N-380V	3N-380V



SC-GBL(900)/(700)

SC-TE-4(900)/(700)

SC-TT-4(900)/(700)

Electric Range with 4-hot Plate & Oven

Model	SC-GBL ( 900 )	SC-GBL ( 700 )	SC-TE 4 ( 900 )	SC-TE 4 ( 700 )	SC-TT 4 ( 900 )	SC-TT-4 ( 700 )
Dimension	800x900x915mm	700x750x915mm	800x900x915mm	700x750x915mm	800x900x915mm	700x750x915mm
N.W	80kg	70kg	80kg	80kg	75kg	70kg
Power	13.6kw	12kw	9.2kw	9kw	14kw	12.8kw
Volts	3N-380V	3N-380V	3N-380V	3N-380V	3N-380V	3N-380V



SC-TE-4A(900)      SC-TT-4A(900)      SC-TT-6A(900)

Electric Range With 4-hot plate      Electric Range With 4 hot plate & Electric Oven      Electric Range With 6 hot plate & Oven

Model	SC-TE-4A ( 900 )	SC-TT-4A ( 900 )	SC-TT-6A ( 900 )
Dimension	800x900x915mm	800x900x915mm	1200x900x915mm
N/W	70kg	80kg	140kg
Power	16kw	20.8kw	28.8kw
Volts	3N-380V	3N-380V	3N-380V



SC-TO(900)/(700)  
Electric soup kettle



SC-RO(900)/(700)  
Gas soup kettle



Model	SC-TO ( 900 )	SC-TO ( 700 )	SC-RO ( 900 )	SC-RO ( 700 )
Dimension	800x900x915mm	700x750x915mm	800x900x915mm	700x750x915mm
N/W	133kg	70kg	140kg	112kg
Power(HP)	3N-380V/18kw	3N-380V/12kw	26kw(89700BTU)	16kw(55200BTU)
Capacity	100L/150L	60L	100iyi50L	60L



J

SC-TS(900)/(700)  
Electric Tilting Braising Pan



SC-RS(900)/(700)  
Gas Tilting Braising Pan



Model	SC-TS ( 900 )	SC-TS ( 700 )	SC-RS ( 900 )	SC-RS ( 700 )
Dimension	800x900x915mm	800x750x915mm	800x900x915mm	800x750x915mm
N/W	135kg	120 kg	140kg	100kg
Power(HP)	3N-380V/12kw	3N-380V/9kw	26kw(89700BTU)	24kw(72450BTU)
Capacity	80L	60L	80L	60L



SC-RM-16(900)/(700) Gas Pasta cooker with cabinet  
 SC-RM-8(900)/(700) Gas Pasta cooker with cabinet  
 SC-TM-16(900)/(700) Electric Pasta cooker with cabinet

Model	SC-RM-16 ( 900 )	SC-RM-16 ( 700 )	SC-RM-8 ( 900 )	SC-RM-8 ( 700 )	SC-TM-16 ( 900 )	SC-TM-16 ( 700 )
Dimension	800x900x915mm	700x750x915mm	450x900x915mm	400x750x915mm	800x900x915mm	700x750x915mm
N/W	80kg	50kg	37kg	37kg	80kg	50kg
Power	11kw(75900BTU)	9.5kw(65550BTU)	5kw(51750BTU)	5kw(51750BTU)	8kw+8kw	8kw+8kw
Volts					3N-380V	3N-380V



SC-8X2 Electric Fryer

Model	SC-SX2	SC-4S	SC-6	SC-4	SC-21	SC-150
Dimension	600x600x450mm	600x600x350mm	600x600x350mm	700x600x350mm	600x600x350mm	600x600x350mm
N/W	21.5kg	20kg	21.5kg	22.4kg	43kg	38kg
Power	2.8+2.8kw	8kw	6kw	1.5kw	5kw	7.2kw
Volts	220-240V/50HZ	220-240V/50HZ	220-240V/50HZ	220-240V/50HZ	220-240V/50HZ	220-240V/50HZ



SC-6R Counter Top Gas Pasta Cooker  
 SC-150.R Gas Lava Rock Grill  
 SC-4.R Gas Slove  
 SC-8+8R Gas Fryer (2-tank, 2-basket)  
 SC-21.R Gas Griddle  
 SC-R4 Gas Bain-Marie

Model	SC-6R	SC-150.R	SC-4.R	SC-8+8R	SC-21.R	SC-R4
Dimension	600x650x470mm	600x650x470mm	600x650x470mm	600x650x470mm	600x650x470mm	700x650x470mm
N/W	25kg	46kg	44kg	31kg	48kg	29kg
Power	6kw(20700BTU)	16KW(55200BTU)	81KW(106950BTU)	11KW (37950BTU)	8KW(27600BTU)	6kw (20700btu )



SC-RB(900)/(700) Gas Bain Marie With Cabinet  
 SC-TB(900)/(700) Electric Bain Marie With Cabinet

Model	SC-RB ( 900 )	SC-RB ( 700 )	SC-TB ( 900 )	SC-TB ( 700 )
Dimension	800x900x915mm	700x750x915mm	800x900x915mm	700x750x915mm
NM	85kg	75kg	65kg	55kg
Power(HP)	11kw(37950BTU)	9.6kw(33120BTU)	6kw	5kw
Volts	/	/	3N-380V	3N-380V



SC-718X / SC-718

Gas Griddle



SC-720

Gas Griddle



SC-722

Gas Griddle (1/2 Grooved)



SC-711

2 in 1 Gas Griddle & fryer

Model	Dimension	N/W	Pressure
SC-718X	540x460x340mm	16kg	2800Pa
SC-718	550x460x340mm	17kg	2800Pa
SC-720	730x530x340mm	24kg	2800Pa
SC-722	730x530x340mm	23.5kg	2800Pa
SC-711	700*480*410mm	37kg	2800Pa



SC-728

Gas Griddle



SC-788

Gas Griddle (1/2 Grooved) 配



SC-710

2 in 1 Gas Griddle & fryer

Model	Dimension	N/W	Pressure
SC-728	730x530x340mm	24kg	2800Pa
SC-788	730x530x340mm	24kg	2800Pa
SC-710	850x500x410mm	40kg	2800Pa



SC-818H

Electric Griddle



SC-811H

Electric Griddle



SC-810H

Electric Griddle

Model	Dimension	N/W	Power	Volts	Temperature Range
SC-818H	360x380x170mm	10kg	1.5kw	220V/50HZ	0-300X
SC-811H	590x460x300mm	19.5kg	3kw	220V/50HZ	0-300°C
SC-810H	595x495x230mm	21kg	3kw	220V/50HZ	0-300°C



SC-300

Electric Griddle



SC-818B

Electric Griddle'



SC-818X(/)SC-818

Model	Dimension	N/W	Power	Volts
SC-300	480x300x230mm	11kg	2kw	220-240V/50HZ
SC-818B	550x400x220mm	15kg	3kw	220-240V/50HZ
SC-818X	540x370x220mm	14.5kg	3kw	220-240V/50HZ
^C-818	550x400x220mm	15kg	3kw	220-240V/50HZ



SC-820

Electric Griddle



SC-822

Electric Griddle (1/2 Grooved)



SC-828

2 in 1 Electric griddle & fryer

Model	Dimension	N/W	Power	Volts
SC-820	730x460x220mm	25kg	4.4kw	220-240V/50HZ
SC-822	730x460x220mm	24.2kg	4.4kw	220*240V/50Hz
SC-828	730x550x370mm	17.8kg	2.5kw+3kw	220V/50HZ



SC-X211



SC-X221



SC-X222

SC-X211

SC-X221

SC-

Single Contact Grill

Single Contact Grill

Double Contact Grill

Model	Dimension	N/W	Power	Volts
SC-X211	400x355x290mm	18kg	2.2Kw	220-240V/50-60HZ
SC-X221	475x400x290mm	20kg	2.2Kw	220-240V/50-60HZ
SC-X222	615x400x290mm	25kg	4.4Kw	220-240V/50-60HZ



SC-6L

Electric Fryer



SC-6L2

Electric Fryer



SC-6L3

Electric Fryer

Model	Dimension	Dimension	N/W	Power	Volts	Temperature range
SC-6L	320x425x302mm	335x440x320mm	4.55kg	2.8kw	220V/50HZ	50-200°C
SC-6L2	600x425x302mm	615x440x320mm	8.45kg	2.8kw+2.8kw	220V/50HZ	50-200X
SC-6L3	600x425x302mm	615x44x320mm	8.8kg	2.8kw+2.8kw	220V/50HZ	50-200X



SC-8L

SC-8L Electric Fryer



SC-8L2

SC-8L2 Electric Fryer



SC-8L3

Electric Fryer

Model	Dimension	Dimension	N/W	Power	Volts	Temperature range	Configuration
SC-8L	330x425x310mm	345x440x330mm	5.5kg	2.8kw	220V/50HZ	50-200°C	8L
SC-8L2	600x425x310mm	615x440x330mm	10.15kg	2.8kw+2.8kw	220V/50HZ	50-200X	8L+8L
SC-8L3	600x425x310mm	615x440x330mm	9.95kg	2.8kw*2.8kw	220V/50HZ	50-200°C	2 L8L16L



SC-11L

Electric Fryer



SC-11L2

Electric Fryer



SC-E12L(12L) Electric Fryer

Model	Dimension	Dimension	N/W	Power	Volts	Temperature range
SC-11L	420x425x310mm	435x440x330mm	6.50kg	2.8kw	220V/50HZ	50-200X
SC-11L2	780x425x310mm	795x440x330mm	12kg	2.8kw+2.8kw	220V/50HZ	50-200X
SC-E12L(12L)	285x485x415mm	300x500x435mm	8.2kg	2.4kw	220-240V	50-200X



SC-101V(8L)

Electric Fryer



SC-102V(8L+8L)

Electric Fryer



SC-E12L-2(12+12L)

电炸炉 Electric Fryer

Model	Dimension	Dimension	N/W	Power	Volts	Temperature range
SC-101V	280x510x350mm	560x325x415mm	8kg	2.4kw	220V/50HZ	50-200X
SC-102V	570x510x350mm	620x560x415mm	14.6kg	2.4kw+2.4kw	220V/50HZ	50-200°C
SC-E12L-2(12*W)	575x485x415mm	590x500x435mm	14.5kg	2.4kw+2.4kw	220-240V	50-200°C



SC-81(6L)

Electric Fryer



SC-82(6L+6L)  
SC-83(12L)

Electric Fryer

Model	Dimension	N/W	Power	Volts
SC-81(6L)	310x470x330mm	5kg	2.5kw	220-240V/50Hz
SC-82(6L+6L)	590x470x330mm	8kg	5kw	220-240V/50Hz
SC-83(12L)				



SC-71 (6L)  
Gas Fryer



SC-72 (6L+6L)  
SC-73 (12L)  
Gas Fryer

Model	Dimension	Dimension	Pressure	N/W	Pressure	N/W
SC-71 (6L)	550x310x480mm	650x310x480mm	2800Pa	10kg	2800Pa	10kg
SC-72 (6L+6L)	550x550x500mm	650x550x500mm	2800Pa	17kg	2800Pa	17kg
SC-73 (12L)				16kg		16kg



SC-76 (28L)



SC-86 (28L)



SC-4HX.R



SC-6HX.R

SC-769 (14L+14L) Gas Fryer

SC-869 (14L+14L) Electric Fryer

Gas Pasta Cooker

Electric Pasta Cooker

Model	Dimension	N/W	H/P /Power	Volts/Pressure
SC-76 (28L)	610x550x1090mm	23.6kg	/	2800Pa
SC-769 (14L+14L)			/	
SC-86 (28L)	590x500x960mm	23.6kg	8kw(220V/50Hz)	/
SC-869 (14L+14L)			4kw44kw(220V/50Hz)	
SC-4HX.R	680x470x880mm	18kg	56500BTU/hr	/
SC-6HX.R	710x620x900mm	31.4kg	84750BTU/hr	/
SC-4HX	430x710x880mm	17kg	4kw	220-240V/50HZ
SC-6HX	740x640x940mm	22.2kg	6kw	220V-240/50HZ



SC-M15  
Taiwanese Oden



SC-M18  
Taiwanese Oden

Model	Dimension	N/W	Power	Volts	temperature Range	capacity
SC-M15	310x365x300mm	6kg	1.3kw	220V	60~300°C	6L
SC-M18	670x365x300mm	12kg	1.3kw*1.3kw	220V	60~30(TC)	12L



SC-1 S(9g) ZSC-18(12g)

Taiwanese Oden



SC-2

Electric Bain-Marie



SC-3

Electric Bain-Marie

Model	Dimension	Dimension	N/W	Power	Volts	Temperature Range
SC-15 (9 格)	290x460x330mm	310x470x330mm	5.2kg	2.5kw	220-240V	0-200T
SC-18 (12 格)	645x350x310mm	670x370x330mm	7.6kg	3.2kw	220-240V	0~200°C
SC-2	380x590x250mm	610x400x290mm	95kg	1.5kw	220-240V/50HZ	0~n (rc)
SC-3	380x590x250mm	610x400x290mm	12kg	1.5kw	220-240V	0-nor



SC-SW10L

10L ( )  
Electric Soup Kettle



SC-X9B-1

Electric Bain-Marie



SC-X9A-1

Electric Bain-Marie

Model	Dimension	Dimension	Power	Volts	Temperature Range	N/W
SC-SW10L	370x370x380mm	760x760x410mm	400w	220-240V/50-60HZ	0~80°C	5.2kg
SC-X9B-1	590x700x260mm	620x755x285mm	1.5kw	22(K240V/50-60Hz)	0~110°C	16kg
SC-X9A-1						19kg



SC-BM-4B Electric Bain-Marie



SC-BM-6B  
Electric Bain-Marie

Model	Dimension	N/W	Power	Volts
SC-BM-4B	694x565x240mm	20kg	1.5kw	220V
SC-BM-6B	1035x590x240mm	20kg	1.5kw	220V



SC-M1  
Electric Salamander



SC-M2-2  
Electric Salamander

Model	Dimension	N/W	Power	Volts
SC-M1	660x360x320mm	10.8kg	2kw	220V
SC-M2-2	840x500x520mm	23.6kg	4kw	220V

SC-BM-5  
Electric Bain-Marie



SC-BM-3  
Electric Bain-Marie



SC-BM-4  
Electric Bain-Marie

Model	Dimension	N/W	Power	Volts
SC-BM-3	905x350x315mm	13.5kg	1.5kw	220-240V/50HZ
SC-BM-4	1175x350x315mm	17kg	1.5kw	220-240V/50Hz
SC-BM-5	1445x350x315mm	20kg	1.8kw	220-240V/50HZ



SC-M6-4  
Gas Salamander



SC-M6-6  
Gas Salamander



SC-M6-8  
Gas Salamander

Model	Dimension	N/W	Power
SC-M6-4	670x520x610mm	31.6kg	24000BTU/hr
SC-M6-6	880x440x610mm	47.2kg	24000BTU/hr
SC-M6-8	1105x515x615mm	52.5kg	24000BTU/hr



SC-818A Cg<  
Electric Crepe Maker

SC-820A  
Electric Crepe Maker

Model	Dimension	N/W	Power/HP	Volts
SC-818A	480x520x260mm	15.2kg	2.8kw	220V/50HZ
SC-820A	930x520x260mm	40kg	6kw	220V/50HZ



SC-BJ12/SC-BJ14 Gas Crepe Maker



SC-818R  
Gas Crepe Maker



SC-820R  
Gas Crepe Maker



SC-212H  
Hamburger Machine

Model	Dimension	N/W	HP
SC-BJ12	470x400x210mm	8kg	36.5
SC-BJ14	530x450x210mm	10kg	36.5
SC-818R	480x520x290mm	16.1kg	36.5
SC-820R	930x520x290mm	50kg	73
SC-212H	725x450x350mm	28kg	2.4KW/220-240V/50-60HZ



SC-701  
Warming Showcase



SC-702  
Warming Showcase



SC-703  
Warming Showcase



SC-704  
Warming Showcase

Model	Dimension	Dimension	N/W	Power	Volts
SC-701	370x450x580mm	420x510x610mm	18kg	1kw	220-240V/50HZ
SC-702	660x450x580mm	710x510x610mm	26kg	1.5kw	220-240V/50HZ
SC-703	890x450x580mm	950x510x610mm	33kg	1.8kw	220-240V/50HZ
SC-704	1200x450x580mm	1250x510x610mm	41kg	2kw	220-240V/50HZ



SC-801  
Warming Showcase



SC-802  
Warming Showcase



SC-803  
Warming Showcase



SC-804  
Warming Showcase

Model	Dimension	Dimension	N/W	Power	Volts
SC-801	370x530x590mm	420x590x620mm	20kg	1kw	220-240V/50HZ
SC-802	660x530x590mm	710x590x620mm	28kg	1.5kw	220-240V/50HZ
SC-803	900x530x590mm	950x590x620mm	36kg	1.8kw	220-240V/50HZ
SC-804	1200x530x590mm	1250x590x620mm	42kg	2kw	220-240V/50HZ



SC-1P  
Warming Showcase



SC-1P-B  
Warming Showcase



SC-1P-C  
Warming Showcase

Model	Dimension	Dimension	N/W	Power	Volts
SC-1P	350x420x520mm	410x480x550mm	18kg	0.85kw	220-240V/50HZ
SC-1P-B	450x450x520mm	510x500x550mm	18kg	0.85kw	220-240V/50HZ
SC-1P-C	660x450x520mm	710x500x550mm	24kg	1kw	220-240V/50HZ



SC-1P-W  
Warming Showcase



SC-500H/SC-600H  
Electric steamer



SC-2X2  
Warming Showcase

Model	Dimension	Dimension	N/W	Power	Volts
SC-1P-W	350x420x730mm	410x470x760mm	18kg	0.8kw	220-240V/50HZ
SC-500H	380x400x745mm	460x430x800mm	26kg	1.2kw	220-240V/50HZ
SC-600H	457x518x825mm	615x515x905mm	29kg	1.6kw	220-240V/50HZ
SC-2x2	690x630x740mm	740x680x770mm	26kg	0.8kw	220-240V



SC-2P-1  
Warming Showcase



SC-2P  
Warming Showcase



SC-3P  
Warming Showcase

Model	Dimension	N/W	Power	Volts	Temp. Rang
SC-2P-1	380x490x610mm	13.55kg	0.5kw	220V/50HZ	30-85°C
SC-2P	660x490x610mm	22kg	0.8kw	220V/50HZ	30-85°C
SC-3P	950x490x610mm	29.7kg	1.2kw	220V/50HZ	30-85°C



SC-60S  
Warming Showcase



SC-60-1  
Warming Showcase



SC-60-2  
Warming Showcase

Model	Dimension	N/W	Power	Volts
SC-60s	380x480x640mm	23kg	1kw	220-240V/50HZ
SC-60-1	660x480x640mm	32kg	1.5kw	220-240V/50HZ
SC-60-2	900x480x640mm	41kg	1.8kw	220-240V/50HZ



SC-60-3  
Warming Showcase

SC-60B/SC-60B1  
Warming Showcase

SC-60A  
Warming Showcase

Model	Dimension	N/W	Power	Volts
SC-60-3	640x340x530mm / 690x390x560mm	45kg	0.8kw	220-240V/50HZ
SC-60B	1500x760x860mm	112kg	2.4kw	220-240V/50HZ
SC-60B1	1200x760x860mm	92kg	2.4kw	220-240V/50HZ
SC-60A	1100x640x730mm	45kg	1.4kw	220-240V/50HZ



SC-5X/SC-7X/SC-10X C  
Rolling Hot-Dog Grill



SC-5XD/SC-7XD/SC-11XD Rolling Hot-Dog

Model	Dimension	N/W	Power	Volts	Configuration
SC-5X	540x330x510mm	10kg	1kw	220-240V/50HZ	(5 Rollers)
SC-7X	620x380x510mm	15kg	1.4kw	220-240V/50HZ	7(7 Rollers)
SC-10X	620x520x560mm	20kg	1.8kw	220-240V/50HZ	10*5(10 Rollers)
SC-5XD	575x247x440mm	9kg	1kw	220-240V/50HZ	(5 Rollers)
SC-7XD	575x320x450mm	11kg	1.4kw	220-240V/50HZ	7M(7 Rollers)
SC-11XD	570x470x430mm	15.5kg	1.8kw	220-240V/50HZ	(11 Rollers)



SC-EP1  
Electric Pizza Oven

SC-EP2  
Electric Pizza Oven

SC-1-1/SC-1  
Electric Pizza Oven

Model	Dimension	N/W	Power	Volts	Temperature Range	Time Range
SC-EP1	640x600x370mm	15kg	2kw	220V	0-350度	0-60min
SC-EP2	640x600x520mm	30kg	3.2kw	220V	0-350度	0-60min
SC-1-1	950x860x510mm	7	4.8kw	220V/380V	50-400度	0-90min
SC-1	950x860x890mm	105kg	9.6kw	220V	50-400度	0-90min



SC-E011 槽



SC-E012  
1-Layer 2-Tray Electric Oven 单

Model	Machine size	Inner size	Dimension	N/W	G7W	Power	Volts
SC-E011	380x570x400mm	640x460x220mm	900x640x420mm	35kg	38kg	3.2kw	220V
SC-E012	380x570x400mm	640x460x220mm	900x640x420mm	35kg	38kg	3.2kw	220V

1-Layer 1-Tray Electric Oven 節



SC-E022



SC-E024

2-Layer 4-Tray Electric Oven

2-Layer 2-Tray Electric Oven

Model	Machine size	Inner size	Dimension	N/W	G/W	Power	Volts
SC-E022	880x570x760mm	640x660x220mm	940x660x750mm	70kg	75kg	6.4kw	220V
SC-E024	1220x820x1240mm	860x660x220mm	1270x900x1270mm	145kg	150kg	13.92kw	220V/380v



SC-E036

SC-E039

3-Layer 6-Tray Electric Oven

3-Layer 9-Tray Electric Oven

Model	Machine size	Inner size	Dimension	N/W	G/W	Power	Volts
					215kg	20.88kw	380v
SC-E036	1220x820x1480mm	860x660x220mm	1250x900x1500mm	210kg	315kg	23.92kw	380v
SC-E039	1650x820x1480mm	1300x660x220mm	1740x900x1500mm	310kg			



SC-G011

0.15kg/h

1-Layer 1-Tray Gas Oven



SC-G012

0.3kg/h

1-Layer 2-Tray Gas Oven

SC-G012 U: 0.3kg/h

1-Layer 2-Tray Gas Oven



SC-G024

0.6kg/h

2-Layer 4-Tray Gas Oven

SC-G024 dOKkg/h

2-Layer 4-Tray Gas Oven

Model	Machine size	Inner size	Dimension	N.W	G.W	Power	Volts
SC-G011	1000x680x580mm	660x460x200mm	1040x770x640mm	72kg	75kg	0.06kw	220v
SC-G012	1340x900x680mm	860x680x200mm	1380x1000x740mm	115kg	120kg	0.1 kw	220v
SC-G024	1340x900x1480mm	860x680x200mm	1380x1000x1500mm	225kg	230kg	0.2kw	220v



SC-G036

3-Layer 6-Tray Gas Oven

a: 0.9kg/h

SC-G039

3-Layer 9-Tray Gas Oven :

1.35kg/h



Model	Machine size	Inner size	Dimension	N/W	G/W	Power	Volts
SC-G036	1340x900x1780mm	860x680x200mm	1380x1000x1800mm	325kg	330kg	0.3kw	220v
SC-G039	1780x900x1780mm	1300x660x200mm	1840x1000x1800mm	450kg	460kg	0.3kw	220v

# Food processing machine

Food Processing Machine plays an important part in any commercial kitchen. We offer a variety of professional equipment to help save your time and labor cost.



SC-195ES-6  
Semi-automatic meat slicer(6")

SC-220ES-8 Semi-automatic meat slicer(8")

SC-250ES-10  
Semi-automatic meat slicer(10")

Model	Dimension	N/W	Power	Volts	Blade Dia	Cutting Thickness
SC-195ES-6	426x406x326mm	13kg	180w	110V/60Hz or 220-240V/50Hz	195mm	0-12mm
SC-220ES-8	520x460x380mm	13.5kg	320w	110V/60Hz or 220-240V/50Hz	220/250mm	0-12mm
SC-250ES-10	620x460x380mm	16kg	320w	110V/60Hz or 220-240V/50Hz	220/250mm	0-12mm



SC-300ES-12N  
Semi-automatic meat slicer(12")



SC-330  
Automatic Meat Slicer(13")



SC-2150D  
Vacuum package machine

Model	Dimension	N/W	Power	Volts	Blade Dia	Cutting Thickness
SC-300ES-12N	620x520x460mm	24.5kg	420w	110V/60Hz or 220/240V/50Hz	300mm	0-15mm
SC-330 (13")	650x600x750mm	27.5kg	420w	110V/60Hz or 220-240V/50Hz	330mm	0-15mm
SC-2150D	387x198x115mm	7kg	15w (110w/Max)	220V/50Hz	1	/





SC-B5/SC-B7 Spiral mixer

SC-B10/SC-B15/SC-B20

SC-H20A/SC-H30A

Spiral mixer

Mixed Dough Mixer

Model	Dimension	N/W	Power	Volts	Capacity	Rotational speed
SC-B5	420x300x466mm	18kg	300w	220V/50Hz	5L	636/388/218RPM
SC-B7	360x290x450mm	20kg	350w	220V/50Hz	7L	636/388/218RPM
SC-B10	450x370x600mm	48kg	500w	220V/50Hz	10L	360/164RPM
SC-B15	470x420x630mm	51kg	500w	220V/50Hz	15L	360/164RPM
SC-B20	560x420x790mm	75kg	1250w	220V/50Hz	20L	403/188/108RPM
SC-H20A	880x670x320mm	91kg	1100w	220V/50Hz	20L/8kg	/
SC-H30A	900x740x340mm	100kg	1500w	220V/50Hz	30L/12kg	/



SC-EMC-12/SC-MC-12  
Electric Meat Grinder



SC-900  
Meat Salting Machine



SC-X5H-1  
Auto Donut Machine

Model	Dimension	N/W	Power	Volts
SC-EMC-12	380x230x45mm	19kg	650w	220V
SC-MC-12	380x230x45mm	19kg	650w	220V
SC-900	953x660x14mm	59kg	0.55kw	220-240V/50HZ
SC-X5H-1	1100x550x650mm	47kg	3+3kw	220-240V/50HZ



SC-SF3L SC-SF5L SC-SF7L SC-SF10L SC-SF12L SC-SF15L

Sausage Filler

Model	Dimension	Dimension	N/W	G/W	Capacity
SC-SF3L	570x360x288mm	300x235x225mm	9kg	11kg	3L
SC-SF5L	690x360x288mm	300x235x250mm	10.5kg	12kg	5L
SC-SF7L	830x360x350mm	300x300x290mm	11.5kg	13kg	7L
SC-SF10L	650x415x350mm	365x300x290mm	12kg	14kg	10L
SC-SF12L	695x415x350mm	365x300x300mm	13kg	15kg	12L
SC-SF15L	790x415x350mm	365x300x350mm	15kg	17kg	15L



Model	Dimension	N/W	Packing
SC-JR10	322x310x260mm	12kg	6pcs/ctn
SC-JR22	470x250x215mm	15kg	3pcs/ctn
SC-JR32	376x322x238mm	20kg	2pcs/ctn



Model	Dimension	N/W	DC
SC-E606	260x130x150mm	5kg	/
SC-E606	480x170x190mm	5kg	DC240/220W