

00033A

BEST SUPPLIER FOR SENIOR LIGHT POLE

THE LEADER IN
STAINLESS STEEL AND
ALUMINUM LIGHTING POLES

LEADING SUPPLIER IN DESIGNED
STREET LIGHT POLE

01/02




We have import and export license. Our products not only widely in domestic sales but also in export markets, such as Middle East, Europe, USA, and Southeast Asia.

Our company develops a team of professional designers and engineers, brought in advanced high-tech equipments from Italy, Japan and France. Besides, our products complied with ISO 9001:2000, the ISO14001 and GB/T28001-2001 Occupational Health and Safety Management System. Yaolong brand is casted by our advanced R&D technology and abundant production capacity.











Aluminum light pole



Traditional light pole






◆ YLDG-N

ALUMINUM GOUD SHAPE LIGHT POLE

MODEL : YLDG-N

Other sizes can be custom

MODEL M	HEIGHT H	TOP OD D1	OD D2	BASE OD D3	THICK T	DOOR HEIGHT H1	DOOR SIZE (A×B)	BASE SIZE (L×W×T)
YLDG-N1	3000	60	80	180	4.0	500	80 × 250	260 × 260 × 12
YLDG-N2	4000	60	80	180	4.0	500	80 × 250	260 × 260 × 12
YLDG-N3	5000	60	80	200	4.0	500	80 × 250	305 × 305 × 19
YLDG-N4	6000	60	80	200	4.0	500	80 × 250	305 × 305 × 19




◆ YLDG-Y

ALUMINUM AND STAINLESS STEEL Y SHAPE LIGHT POLE

MODEL : YLDG-Y

Other sizes can be custom

MODEL M	LEFT ARM HEIGHT H	HEIGHT H1	RIGHT ARM HEIGHT H1	LEFT ARM WIDTH L1	RIGHT ARM WIDTH L2
YLDG-Y1	8000	4000	5500	3500	2200
YLDG-Y2	10000	6000	7500	3500	2200
YLDG-Y3	12000	8000	9500	3500	2200
YLDG-Y4	14000	10000	11500	3500	2200




◆ YLDG-A

ALUMINUM DOUBLE ARM LIGHT POLE

MODEL : YLDG-A

Other sizes can be custom

MODEL M	HEIGHT H	TOP OD D1	BASE OD D3	THICK T	ARM L1	ARM L2	DOOR HEIGHT H1	DOOR SIZE (A×B)	BASE SIZE (Φ×T)
YLDG-A1	2500	170	140	5.0	550	550	500	80 × 250	Φ280 × 150
YLDG-A2	3000	170	140	5.0	600	600	500	80 × 250	Φ280 × 150
YLDG-A3	4000	170	140	5.0	650	650	500	80 × 250	Φ280 × 150
YLDG-A4	5000	170	140	5.0	750	750	500	80 × 250	Φ280 × 150
YLDG-A5	6000	170	140	5.0	800	800	500	80 × 250	Φ280 × 150




◆ YLDG-M

ALUMINUM AND STAINLESS STEEL HIGH MAST

MODEL : YLDG-M

Other sizes can be custom

MODEL M	HEIGHT H	TOP OD D1	BASE OD D2	LAMP SIZE D3	DOOR HEIGHT H1	DOOR SIZE (A×B)	BASE SIZE (Φ×T)
YLDG-M1	18000	220	436	3600	500	120×300	Φ800×30
YLDG-M2	20000	220	460	3600	500	120×300	Φ800×30
YLDG-M3	22000	220	484	3600	500	120×300	Φ800×30
YLDG-M4	25000	220	520	4000	500	120×300	Φ800×30
YLDG-M5	30000	220	580	4000	500	120×300	Φ800×30




◆ YLDG-C

ALUMINUM AND STAINLESS STEEL GRASS LIGHT POLE

MODEL : YLDG-C

Other sizes can be custom

MODEL M	HEIGHT H	OD D1	THICK T	BASE SIZE (Φ×T)
YLDG-C1	600	102	2.5-3.0	Φ80×10
YLDG-C2	800	102	2.5-3.0	Φ80×10
YLDG-C3	1000	102	2.5-3.0	Φ80×10
YLDG-C4	1200	102	2.5-3.0	Φ80×10




◆ YLDG-E

ALUMINUM CURVED LIGHT POLE

MODEL : YLDG-E

Other sizes can be custom

MODEL M	HEIGHT H	TOP OD D1	BASE OD D2	THICK T	ARM L1	HEIGHT2 H2	DOOR HEIGHT H1	DOOR SIZE (A×B)	BASE SIZE (L×W×T)
YLDG-E1	5000	76	152	4.0	1500	1000	500	80 × 250	298 × 298 × 12
YLDG-E2	6000	76	152	4.0	1500	1000	500	80 × 250	298 × 298 × 12
YLDG-E3	7000	76	166	4.0	1800	1200	500	80 × 250	298 × 298 × 12
YLDG-E4	8000	76	180	4.0	1800	1200	500	100 × 300	305 × 305 × 19
YLDG-E5	9000	76	180	4.0	2000	1500	500	100 × 300	305 × 305 × 19
YLDG-E6	10000	76	200	4.0	2000	1500	500	100 × 300	305 × 305 × 19



◆ YLDG-Z

ALUMINUM TAPERED LIGHT POLE

MODEL : YLDG-Z

Other sizes can be custom

MODEL M	HEIGHT H	TOP OD D1	BASE OD D2	THICK T	DOOR HEIGHT H1	DOOR SIZE (A×B)	BASE SIZE (L×W×T)
YLDG-Z1	3000	76	152	4.0	500	80 × 250	298 × 298 × 12
YLDG-Z2	4000	76	152	4.0	500	80 × 250	298 × 298 × 12
YLDG-Z3	5000	76	152	4.0	500	80 × 250	298 × 298 × 12
YLDG-Z4	6000	76	152	4.0	500	80 × 250	298 × 298 × 12
YLDG-Z5	7000	76	166	4.0	500	80 × 250	298 × 298 × 12
YLDG-Z6	8000	76	166	4.0	500	80 × 250	298 × 298 × 12
YLDG-Z7	9000	76	180	4.0	500	100 × 300	305 × 305 × 19
YLDG-Z8	10000	76	200	4.0	500	100 × 300	305 × 305 × 19


◆ YLDG-D

ALUMINUM SINGLE-ARM LIGHT POLE

MODEL : YLDG-D

Other sizes can be custom

MODEL M	HEIGHT H	TOP OD D1	BASE OD D2	THICK T	ARM L1	DOOR HEIGHT H1	DOOR SIZE (A×B)	BASE SIZE (L×W×T)
YLDG-D1	5000	76	152	4.0	1500	500	80 × 250	298 × 298 × 12
YLDG-D2	6000	76	152	4.0	1500	500	80 × 250	298 × 298 × 12
YLDG-D3	7000	76	166	4.0	1500	500	80 × 250	298 × 298 × 12
YLDG-D4	8000	76	180	4.0	1500	500	100 × 300	305 × 305 × 19
YLDG-D5	9000	76	180	4.0	1500	500	100 × 300	305 × 305 × 19
YLDG-D6	10000	76	200	4.0	1500	500	100 × 300	305 × 305 × 19




ALUMINUM SINGLE-ARM LIGHT POLE





ALUMINUM DOUBLE-ARM LIGHT POLE




◆ YLDG-S

ALUMINUM DOUBLE-ARM LIGHT POLE


MODEL : YLDG-S

Other sizes can be custom

MODEL M	HEIGHT H	TOP OD D1	BASE OD D2	THICK T	ARM L1	ARM L2	DOOR HEIGHT H1	DOOR SIZE (A×B)	BASE SIZE (L×W×T)
YLDG-S1	5000	76	152	4.0	1500	1500	500	80×250	298×298×12
YLDG-S2	6000	76	152	4.0	1500	1500	500	80×250	298×298×12
YLDG-S3	7000	76	166	4.0	1500	1500	500	80×250	298×298×12
YLDG-S4	8000	76	180	4.0	1500	1500	500	100×300	305×305×19
YLDG-S5	9000	76	180	4.0	1500	1500	500	100×300	305×305×19
YLDG-S6	10000	76	200	4.0	1500	1500	500	100×300	305×305×19



ALUMINUM HIGH AND LOW ARM LIGHT POLE




◆ YLDG-G

ALUMINUM HIGH AND LOW ARM LIGHT POLE

MODEL : YLDG-G

Other sizes can be custom

MODEL M	HEIGHT H	TOP OD D1	BASE OD D2	THICK T	ARM L1	ARM L2	DOOR HEIGHT H1	DOOR SIZE (A×B)	BASE SIZE (L×W×T)
YLDG-G1	5000	76	152	4.0	1500	800	500	80 × 250	298 × 298 × 12
YLDG-G2	6000	76	152	4.0	1500	800	500	80 × 250	298 × 298 × 12
YLDG-G3	7000	76	166	4.0	1500	800	500	80 × 250	298 × 298 × 12
YLDG-G4	8000	76	180	4.0	1500	800	500	100 × 300	305 × 305 × 19
YLDG-G5	9000	76	180	4.0	1500	800	500	100 × 300	305 × 305 × 19
YLDG-G6	10000	76	200	4.0	1500	800	500	100 × 300	305 × 305 × 19



◆ YLDG-K


ALUMINUM HIGH AND LOW ARM LIGHT POLE

MODEL : YLDG-K

Other sizes can be custom

MODEL	HEIGHT	TOP OD	BASE OD	OD	HEIGHT2	ARM	ARM	THICK	DOOR HEIGHT	DOOR SIZE	BASE SIZE
M	H	D1	D2	D3	H2	L1	L2	T	H1	(A×B)	(L×W×T)
YLDG-K1	5000	76	152	60	3000	1500	800	4.0	500	80×250	298×298×12
YLDG-K2	6000	76	152	60	4000	1500	800	4.0	500	80×250	298×298×12
YLDG-K3	7000	76	166	60	5000	1500	800	4.0	500	80×250	298×298×12
YLDG-K4	8000	76	180	60	6000	1500	800	4.0	500	100×300	305×305×19
YLDG-K5	9000	76	180	60	7000	1500	800	4.0	500	100×300	305×305×19
YLDG-K6	10000	76	200	60	8000	1500	800	4.0	500	100×300	305×305×19

ALUMINUM STRAIGHT AND TAPERED LIGHT POLE



◆ YLDG-X

ALUMINUM STRAIGHT AND TAPERED LIGHT POLE

MODEL : YLDG-X

Custom-made according to customer requirements

MODEL M	HEIGHT H	TOP OD D1	BASE OD D2	THICK T	OD D2	HEIGHT2 H2	DOOR HEIGHT H1	DOOR SIZE (AxB)	BASE SIZE (LxWxT)
YLDG-X1	3000	76	152	4.0	152	1000	500	80 x 250	298 x 298 x 12
YLDG-X2	4000	76	152	4.0	152	1000	500	80 x 250	298 x 298 x 12
YLDG-X3	5000	76	180	4.0	180	1200	500	80 x 250	305 x 305 x 19
YLDG-X4	6000	76	200	4.0	200	1200	500	80 x 250	305 x 305 x 19


◆ YLDG-L

ALUMINUM DRUM SHAPE LIGHT POLE

MODEL : YLDG-L


Custom-made according to customer requirements

MODEL M	HEIGHT H	TOP OD D1	BASE OD D2	THICK T	OD D3	DOOR HEIGHT H1	DOOR SIZE (A×B)	BASE SIZE (L×W×T)
YLDG-L1	3000	76	152	4.0	180	500	80 × 250	298 × 298 × 12
YLDG-L2	4000	76	152	4.0	180	500	80 × 250	298 × 298 × 12
YLDG-L3	5000	76	180	4.0	200	500	80 × 250	305 × 305 × 19
YLDG-L4	6000	76	180	4.0	200	500	80 × 250	305 × 305 × 19



ALUMINUM DRUM SHAPE LIGHT POLE






◆ YLDG-R

ALUMINUM GOURD SHAPE LIGHT POLE

MODEL : YLDG-R

Custom-made according to customer requirements

MODEL M	HEIGHT H	TOP OD D1	BASE OD D2	OD D3	OD D4	THICK T	DOOR HEIGHT H1	DOOR SIZE (A×B)	BASE SIZE (L×W×T)
YLDG-R1	3000	60	152	180	80	4.0	500	80 × 250	298 × 298 × 12
YLDG-R2	4000	60	152	180	80	4.0	500	80 × 250	298 × 298 × 12
YLDG-R3	5000	60	180	200	80	4.0	500	80 × 250	305 × 305 × 19
YLDG-R4	6000	60	180	200	80	4.0	500	80 × 250	305 × 305 × 19



◆ YLDG-H

ALUMINUM ARC-SHAPED LIGHT POLE

MODEL : YLDG-H

Custom-made according to customer requirements

MODEL M	HEIGHT H	TOP OD D1	BASE OD D2	THICK T	ARM L1	HEIGHT2 H2	DOOR HEIGHT H1	DOOR SIZE (A×B)	BASE SIZE (L×W×T)
YLDG-H1	5000	76	152	4.0	1500	1000	500	80 × 250	298 × 298 × 12
YLDG-H2	6000	76	152	4.0	1500	1000	500	80 × 250	298 × 298 × 12
YLDG-H3	7000	76	166	4.0	1800	1200	500	80 × 250	298 × 298 × 12
YLDG-H4	8000	76	180	4.0	1800	1200	500	100 × 300	305 × 305 × 19
YLDG-H5	9000	76	180	4.0	2000	1500	500	100 × 300	305 × 305 × 19
YLDG-H6	10000	76	200	4.0	2000	1500	500	100 × 300	305 × 305 × 19




ALUMINUM ARC-SHAPED LIGHT POLE



◆ YLDG-V


ALUMINUM ARC-SHAPED LIGHT POLE



MODEL : YLDG-V

Custom-made according to customer requirements

MODEL	HEIGHT	TOP OD	BASE OD	HEIGHT2	HEIGHT3	ARM	THICK	DOOR HEIGHT	DOOR SIZE	BASE SIZE
M	H	D1	D2	H2	H3	L1	T	H1	(A×B)	(L×W×T)
YLDG-V1	5000	76	152	1000	4500	1500	4.0	500	80 × 250	298 × 298 × 12
YLDG-V2	6000	76	152	1000	5500	1500	4.0	500	80 × 250	298 × 298 × 12
YLDG-V3	7000	76	166	1200	6500	1800	4.0	500	80 × 250	298 × 298 × 12
YLDG-V4	8000	76	180	1200	7500	1800	4.0	500	100 × 300	305 × 305 × 19
YLDG-V5	9000	76	180	1500	8500	2000	4.0	500	100 × 300	305 × 305 × 19
YLDG-V6	10000	76	200	1500	9500	2000	4.0	500	100 × 300	305 × 305 × 19



◆ YLDG-O

ALUMINUM SINGLE-ARM LIGHT POLE


MODEL : YLDG-O

Custom-made according to customer requirements

MODEL	HEIGHT	TOP OD	BASE OD	OD	ARM	ARM	HEIGHT2	THICK	DOOR HEIGHT	DOOR SIZE	BASE SIZE
M	H	D1	D2	D3	L1	L2	H2	T	H1	(A×B)	(L×W×T)
YLDG-O1	5000	80	152	60	1500	500	4500	4.0	500	80×250	298×298×12
YLDG-O2	6000	80	152	60	1500	500	5500	4.0	500	80×250	298×298×12
YLDG-O3	7000	80	166	60	1500	500	6500	4.0	500	80×250	298×298×12
YLDG-O4	8000	80	180	60	1500	500	7500	4.0	500	100×300	305×305×19
YLDG-O5	9000	80	180	60	1500	500	8500	4.0	500	100×300	305×305×19
YLDG-O6	10000	80	200	60	1500	500	9500	4.0	500	100×300	305×305×19



**ALUMINUM
SINGLE-ARM
LIGHT POLE**



◆ **YLDG-T**

**ALUMINUM SINGLE-ARM
LIGHT POLE**

MODEL : YLDG-T

Custom-made according to customer requirements

MODEL M	HEIGHT H	TOP OD D1	BASE OD D2	OD D3	ARM L1	ARM L2	THICK T	DOOR HEIGHT H1	DOOR SIZE (A×B)	BASE SIZE (L×W×T)
YLDG-T1	5000	80	152	60	1500	4500	4.0	500	80 × 250	298 × 298 × 12
YLDG-T2	6000	80	152	60	1500	5500	4.0	500	80 × 250	298 × 298 × 12
YLDG-T3	7000	80	166	60	1500	6500	4.0	500	80 × 250	298 × 298 × 12
YLDG-T4	8000	80	180	60	1500	7500	4.0	500	100 × 300	305 × 305 × 19
YLDG-T5	9000	80	180	60	1500	8500	4.0	500	100 × 300	305 × 305 × 19
YLDG-T6	10000	80	200	60	1500	9500	4.0	500	100 × 300	305 × 305 × 19


◆ YLDG-U

ALUMINUM COURTYARD LIGHT POLE

MODEL : YLDG-U


Other sizes can be custom

MODEL M	HEIGHT H	TOP OD D1	BASE OD D2	OD D3	ARM L1	ARM L2	HEIGHT2 H2	THICK T	DOOR HEIGHT H1	DOOR SIZE (A×B)	BASE SIZE (L×W×T)
YLDG-U1	3000	80	152	60	600	600	3000	4.0	500	80 × 250	298 × 298 × 12
YLDG-U2	4000	80	152	60	600	600	4000	4.0	500	80 × 250	298 × 298 × 12
YLDG-U3	5000	80	152	60	600	600	5000	4.0	500	80 × 250	298 × 298 × 12
YLDG-U4	6000	80	152	60	600	600	6000	4.0	500	80 × 250	298 × 298 × 12





ALUMINUM COURTYARD LIGHT POLE



◆ YLDG-B

ALUMINUM COURTYARD LIGHT POLE

MODEL : YLDG-B

Other sizes can be custom

MODEL M	HEIGHT H	TOP OD D1	BASE OD D2	OD D3	ARM L1	ARM L2	HEIGHT2 H2	THICK T	DOOR HEIGHT H1	DOOR SIZE (A×B)	BASE SIZE (L×W×T)
YLDG-B1	3000	80	152	60	600	600	3000	4.0	500	80 × 250	298 × 298 × 12
YLDG-B2	4000	80	152	60	600	600	4000	4.0	500	80 × 250	298 × 298 × 12
YLDG-B3	5000	80	152	60	600	600	5000	4.0	500	80 × 250	298 × 298 × 12
YLDG-B4	6000	80	152	60	600	600	6000	4.0	500	80 × 250	298 × 298 × 12


◆ YLDG-F


ALUMINUM COURTYARD LIGHT POLE

MODEL : YLDG-F


Other sizes can be custom

MODEL M	HEIGHT H	TOP OD D1	BASE OD D2	OD D3	ARM L1	ARM L2	HEIGHT2 H2	THICK T	DOOR HEIGHT H1	DOOR SIZE (A×B)	BASE SIZE (L×W×T)
YLDG-F1	3000	80	152	60	600	600	3000	4.0	500	80 × 250	298 × 298 × 12
YLDG-F2	4000	80	152	60	600	600	4000	4.0	500	80 × 250	298 × 298 × 12
YLDG-F3	5000	80	152	60	600	600	5000	4.0	500	80 × 250	298 × 298 × 12
YLDG-F4	6000	80	152	60	600	600	6000	4.0	500	80 × 250	298 × 298 × 12





**ALUMINUM COURTYARD
LIGHT POLE**



◆ **YLDG-J**


**ALUMINUM COURTYARD
LIGHT POLE**

MODEL : YLDG-J


Other sizes can be custom

MODEL M	HEIGHT H	TOP OD D1	BASE OD D2	OD D3	ARM L1	ARM L2	HEIGHT2 H2	THICK T	DOOR HEIGHT H1	DOOR SIZE (A×B)	BASE SIZE (L×W×T)
YLDG-J1	3000	80	152	60	600	600	3000	4.0	500	80×250	298×298×12
YLDG-J2	4000	80	152	60	600	600	4000	4.0	500	80×250	298×298×12
YLDG-J3	5000	80	152	60	600	600	5000	4.0	500	80×250	298×298×12
YLDG-J4	6000	80	152	60	600	600	6000	4.0	500	80×250	298×298×12

BASE



Cast Aluminium Baseplate



Press Aluminium Baseplate


BASE PARAMETER TABLE

MODEL M	BASE OD DB	BASE SIZE (A×A)	THICK T	HOLES PACING (B×B)	REMARKS Other
YLDG-B1	152	298 × 298	12	210 × 210	铝合金冲压底座
YLDG-B2	166	298 × 298	12	210 × 210	铝合金冲压底座
YLDG-B3	180	305 × 305	19	210 × 210	铝合金铸造底座
YLDG-B4	200	305 × 308	19	210 × 210	铝合金铸造底座


In order to make the light poles more colorful and attractive, we color them through anodizing process. The ways we use for coloring mainly are electrolytic coloring and chemical staining.

Electrolytic coloring have higher abrasive and light resistance. For chemical staining, the cost is low; and the color produced by this method is rich and bright. However, the color fades as time going on. Now we are able to make red, green, blue, yellow, golden, orange, purple, brown and black, which can meet most customers' need.

Technological Process



Poles Color Reference



STAINLESS STEEL LIGHTING POLES CASE

LEADING SUPPLIER IN DESIGNED
STREET LIGHT POLE

61/62

